

AD

Report ETL-TR-71-5

SURFACE CLIMATE OF THE ARCTIC BASIN

Selected Climatic Elements Related to the Performance of Surface-Effect Vehicles

by Andrew D. Hastings, Jr.

December 1971

Approved for public release; distribution unlimited.

COLOR ILLUSTRATIONS REPRODUCED IN BLACK AND WHITE

U.S. ARMY ENGINEER TOPOGRAPHIC LABORATORIES FORT BELVOIR, VIRGINIA



NATIONAL TECHNICAL INFORMATION SERVICE

10.3

BEST AVAILABLE COPY

Destroy this report when no longer needed. Do not return it to the originator.

U. S. ARMY ENGINEER TOPOGRAPHIC LABORATORIES FORT BELVOIR, VIRGINIA

Report ETL-TR-71-5

SURFACE CLIMATE OF THE ARCTIC BASIN

Selected Climatic Elements Related to the Performance of Surface-Effect Vehicles

December 1971

Distributed by

The Commanding Officer
U. S. Army Engineer Topographic Laboratories

Prepared by

Andrew D. Hastings, Jr. Geographer

Earth Sciences Division
 Geographic Sciences Laboratory
U. S. Army Engineer Topographic Laboratories
 Fort Belvoir, Virginia

Sponsored by

Advanced Research Projects Agency AR PA Order No. 1615 ON 10

(Thru USA Cold Regions Research and Engineering Laboratory, Hanover, New Hampshire)

Approved for public release; distribution unlimited.

SUMMARY

This report is primarily an atlas of thematic maps illustrating the distributions and frequencies of occurrence of monthly climatic means and extremes within the Arctic Basin. Mapped clements include Mean Daily Maximum and Minimum Temperatures, Absolute Minimum Temperature, Mean Dewpoint, Mean and Maximum Windspeeds, and Horizontal Visibility Bestriction. These elements were selected because of their significance with respect to the design and operation of large Surface Effect Vehicles. Sixty of the maps depict 5 F° intervals of various temperature measurements or 2-mph intervals of mean windspeed as occanic isopleths in monthly series. Four maps display annual histograms showing the monthly march of frequency of days with low temperatures, high winds, or restricted visibility and maximum windspeeds for selected stations. The distributions are derived from shore station data and observations from nearly 40 drifting ship and ice stations and over-ice traverses spanning the last century of scientific research in the Arctic Basin. The bulk of the data, however, comes from Soviet and United States drifting ice stations which were maintained during the last two decades. Many of the data have not hereinfore been utilized in published materials; consequently, tables of all summarized data resulting directly from this research are included as an appendix.

FOREWORD

This report has been prepared by the Earth Sciences Division, Geographic Sciences Laboratory, U. S. Army Engineer Topographic Laboratories, at the request of the U. S. Army Gold Regions Research and Engineer og Laboratory which has been assigned, by Advanced Research Projects Agency, the task of collecting data pertinent to the design and operation of large, Surface-Effect Vehicles in the Arctic under ARPA Order No. 1615. The purpose of this report is to summarize the distribution and frequency of occurrence of certain climatic conditions in the Arctic Basin. Particular emphasis has been placed on data from Soviet and United States drifting ice stations which have operated within the Arctic Ocean and its peripheral seas during the last two decades. Research commenced on 1 July 1970 and was concluded on 30 June 1971. Ambrew D. Hastings, Jr. was the responsible investigator working under the supervision of Dr. William C. Robison, Acting Chef, Earth Sciences Division, with scope guidance from the Project Leader, Dr. Charles M. Keeler, Cold Regions Research and Engineering Laboratory.

CONTENTS

Section	Titie					
	Summary					
	Foreword		iii			
1.	Introduction					
2.	Methods		1			
3.	Comments on I	soplethic Maps	3			
4.		listogram Maps	3			
5.		Frequency of Decurrence of Hydrometeors	4			
6.	Maps and Graph Figures					
	Location of Climatic Stations (Fig. 1)					
	Mean Daily Maximum Temperature (Figs. 2-13)					
	Mean Daily Minimum Temperature (Figs. 14-25)					
	Lowest Recorded Temperature (Figs. 26-37)					
	Mean Dew	Mean Dewpoint Temperature (Figs. 38-49)				
	Mean Wind	Mean Windspeed (Figs. 50-61)				
		Steady Windspeed (Fig. 62)	68			
	Mean Number of Days with Minimum Temperatures At or Below -25° F (-31.5 C) (Fig. 63)					
	Mean Number of Days with Maximum Windspeeds Equal To or Greater Than 25 mph (11.2 m/s or 21.7 kts.) (Fig. 64)					
	Mean Number of Days with Minimum Horizontal Visibility Restricted To 1 Mile (1.61 km) or Less by Natural Causes (other than darkness) (Fig. 65)					
	Percent Occurrence of Hydrometeors Near the North Pole (Fig. 66)					
7.	Arctic Basin Temperatures During the Last Century					
8.	Acknowledgments					
9.	Selected Bibliography					
		1				
Appendix A	Inventory of Arc	etic Ocean Stations	80			
Appendix B	Selected Temperature and Windspeed Tables					
	Table 1:	Maximum Recorded Temperature	82-83			
	Table 11:	Mean Daily Maximum Temperature	84-85			
	Table III:	Mean Temperature	86-87			
	Table IV: Mean Daily Minimum Temperature					
	Table V: Minimum Recorded Temperature					
	Table VI:	Mean Dewpoint Temperature	90·91 92·93			
	Table VII:	Mean Windspeed	94.95			
Appendix C	Table of Climatic	: Measurement Equivalents	96			

SURFACE CLIMATE OF THE ARCTIC BASIN

1. Introduction.

The purpose of this study is to summarize, by maps and graphs, certain climatological elements which are considered to have important effects on the operation of Surface Effect Vehicles within the Arctic Basin. Accordingly, the map information is confined to the boundary layer parameters of wind, temperature, humidity, and visibility. Many of the data have not previously been used in analyzing Arctic Itasin climate; thus, the maps presented here are probably the most reliable to be found even though some of the records are fragmentary and disappointingly short.

2. Methods.

a) Availability of Meteorological Data. (See Appendix A.)

Data were gathered from drifting ship and ice stations and over-ice traverses within the Arctic Basin as well as from peripheral shore stations whose instrument elevations approximate sea level. Shore station data are relatively plentifal and generally available through a variety of standard published sources. Information from drifting stations within the Arctic ice pack is not so uniformly accessible.

Observations from the early ship expeditions between 1872 and World War II are mostly found in comprehensive, hard-bound reports, often as separate volumes treating the investigations of discrete scientific disciplines such as climatology. Observations at U. S. ice island stations commencing in 1952 are available, with some notable exceptions, in guvernmental contract reports dealing with particular periods of occupancy under shifting patterns of scientific emphasis and agency sponsorship. Some records covering rather substantial periods have never been published and are available only in the form of original WBAN-10 daily weather observation forms or manuscript field notes from the responsible observers.

Prior to 1961, the Soviet Union published a number of journal articles containing data from their manned icefloe stations in the "Severnyi polius" (Northpole) series, Northpole I (Papanin Expedition, 1937-38) through Northpole 9 (1960-1961). Since then, data from subsequent stations, Northpole 10 through Northpole 20, have not appeared in the open literature despite the fact that a continuing systematic program has maintained 2 or 3 stations at a time during most of the ensuing period. At the present writing, it is understood that Northpole 16, 18, 19, and 20 are still operative. All of these manned stations transmit periodic weather data and position reports by radioteletype and these are received through normal monitoring facilities in Alaska and northern Canada. Thus, it has been possible to obtain encoded printonts (unedited) through 1970 for the purpose of this study.

The Union of Soviet Socialist Republies has also scattered a larger number of temporary stations known as the "Severnyi" (North) series. These operate for brief periods, usually in early surfamer, with intensive air support. There are, in addition, a very large number (perhaps more than 300 at any given time) of automatic stations which communicate stored data upon remote radio interrogation of their taped records. These are distributed off the Siberian coast to about 85°E, and 170°W. They comprise two types, the so-called "DARMS" (Drifting Automatic Radiometeorological Stations) and the older Alekseyev Radio Beacons, all utilized primarily for daily synoptic reports affecting the Soviet mainland. The automatic stations have relatively short operational lives, averaging scarcely 100 days, owing mainly to the bazards of the break-up in this section of the basin. Inasmuch as neither the automatic stations nor temporary stations in the "North" series broadcast on a scheduled basis, it is impossible to assemble usable monthly summary data from them in the absence of published reports.

U. S. Air Force dropsonde data over the western basin, mainly from the so-called "Ptarinigan" flights of the 1950s, were examined but rejected doe to enurmous problems of establishing meaningful plot positions for a given mouth of related observations and the nucertainty of altitudes at which the lowest level readings were transmitted.

Apart from long-term records at shore stations, the most usable data were derived from unsummarized individual observations, generally 2 to it per day, from manned drifting stations. Many of these have never before been reduced to mouthly values nor published in any form. Thus, it became a basic requirement of this study to locate several widely-scattered private sources of unpublished. U.S.A.F. Sovironmental Technical Applications Center in Asheville, N. C. The nature of these essentially unconted data has required a number of personal judgments with respect to obvious errors in transcription of encoded nucleorological data and grid coordinates. Nonetheless, it is felt that secondary errors generated by this process will have been reduced to virtual insignificance through summarization and a scheme of station clustering to be described later.

b) Data Plotting.

The base map utilized for these analyses was the 1:5,000,000 scale USAF Global Navigation and Planning Chart, GNC-1N, a Transverse Mercator projection (revised March 1968) with true linear scale along the 90th meridian. This was selected both for its general size-scale suitability and for the currency and conformality of its coastline information.

Mean monthly positions for all drift stations with avail, ble meteorological data were established in one of two ways. Wherever mean monthly plots were given together with weather data in published cources they were used directly. Otherwise, mean positions were calculated by averaging latitude and longitude separately from daily fixes. In the cases of certain recent Soviet stations which have zig-zagged back and forth across the International Date Line, the coded teletype symbols for East and West Quadrants are clearly in error. They are occasionally reported as values in excess of 180° Longitude and are often mixed with conventional notation. Only by first plutting the daily course of individual coordinate pairs can the errors be detected and a plansible track established.

Figure 1 locates all mean monthly drift station and over-ice traverse positions. The keyed interconnecting lines must not be construed as actual drift tracks. They are included merely to simplify the locating of successive mean monthly positions in a related series. Only in a very crude way do they approximate the intricately wandering courses of the true drift tracks. Much in the manner of running means, it is only fortnitons if a monthly mean position happens to coincide with any real position of the station along its precise line of drift.

Prior to data plotting, separate monthly plot templates were prepared on stable film stock, each locating the mean positions of all drift and over-ice traverse stations for a particular month together with the fixed positions of all shore stations to be used. These were used repeated to produce the multiple overlays of meteorological data plots.

Inspected individually, the monthly plot templates reveal virtually no real concentrations of positions although they are less dense in the peripheral seas than in the Arctic Ocean proper. In view of the sparseness of the data, this is perhaps fortunate; but, at the same time, it may be regretted that there are no really tight clusters from which to obtain real confidence in the long-term means or extremes. We can only hope that we are dealing with great areas of such general climatic uniformity that the short-term record (few stations in larger area groupings) does not deviate importantly from the long-term record.

Due to the prevailing clockwise water circulation around the Beaufort Sea, few stations have drifted across the middle of that area (one each by T-3 and ARLISI). Similarly, the orientation of the cross-polar ocean current from the Chukchi Sea across the Pole to the East Greenland Sea tends to steer the ice pack (hence drift stations) away from the Laptev coast of Siberia. Considerable numbers of stations were first established in springtime in the vicinity of 75° North, between 160° and 180° West. This has created some loose clustering of early summer data in that area. With each succeeding month, the tendency for these clusters to move in a general poleward direction becomes less pronounced; and, after the lapse of about one year, the diffusion is so great that the clusters can no longer be distinguished.

Island stations in the Kara Sea more than compensate for the lack of drift station records there. Both the Kara and the Laptev Seas are crossed by the shipping route from Murmansk to the Bering Sea so there are, of course, plentiful shipboard weather records available. Nonetheless, the season is short (mid-July to mid-September) and the relatively swift passage of vessels renders monthly data summaries meaningless in terms of mean monthly ship positions. Still, the sparseness of monthly data here and in the other peripheral seas should not significantly diminish confidence in the resultant analyses because the plotting network is tied nearby to the more reliable ring of shore stations.

From this standpoint, after grouping data by ocean areas, the overall reliability of analytical lines in this atlas is considered to be fair to good (based on a 5-year minimum period of record); it is probably poorest in that area lying just north of Spitzbergen between Greenland and Franz Joseph Land where island station records are short and outdated. At the present rate of data acquisition, predominantly by the Soviets, it may take another 20 years to accumulate sufficient surface information to upgrade our knowledge of Arctic Basin climate to the status of genuine reliability (harring significant climatic change). For the time being, it is somewhat reassuring to realize that 80 percent of the available data has been accumulated in the last two decades.

After the data were compiled and tabulate Sinto monthly summaries, they were transferred to fairsheet overlays registered to their respective monthly position plot templates. All data calculations deemed to be of any credibility were plotted on these fairsheets. Those which represented seriously incomplete months (fewer than 25 days of record) or were otherwise questionable were separately distinguished and ascelly not included in the averages for ocean areas. Twenty-one uniform ocean areas approximately 300 statute miles square were arbitrarily laid out over the Arctic Decan area of the base map. For ail of the monthly isoplethic maps in the atlas, the ocean area was analyzed in the following manner. Data appearing within each of the 21 ocean areas (usually 5 to 9 values) were combined to make a composite record represented by the center of the square. This was varied in the case of extreme minimum temperatures wherein the exact location of the lowest temperature in or immediately adjacent to the square was used instead of the center point. These composite values together with those of the longest available records at shore stations comprised the analytical network for each isoplethic fairsheet. Thus, it may be said that the resultant isopleths are, with few exceptions, based upon a minimum of five years of record at points not more than 300 statute miles from their nearest neighbor.

For the special purposes of the histogram maps, it was found advisable to make composites from larger ocean areas. To this end, 16 of the most centrally located of the original 21 squares were divided into groups of four each which were approximately 600 statute miles square. While usable data were less abundant for these elements, none-theless, the larger ocean areas are each represented by 7 to 16 values (a minimum 7-year period of record).

3. Comments on Isoplethic Maps. (See Appendix B.)

a) Mean Daily Maximum Temperature (Figures 2 - 13).

Viewed as a whole, the Arctic Basin is coldest in February when mean daily maxima fall below -30°F in the sector between Ellesmere Island and the Pole. It is warmest in July when mean daily maxima are above freezing in all areas except the cold node off Ellesmere. The first thawing (32°F) isotherm of the warm season appears in the Greenland Sca in May and is last seen in October in the Barents Sca. The zero (F) isotherm disappears by May and reappears in October off Ellesmere.

b) Mean Daily Minimum Temperature (Figures 14 - 25).

The lowest mean daily minimum isotherm, -40°F, appears in January along the littorals of eastern Siberia and the Canadian Arctic islands; it expands in February and wanes through March. July mean daily minima remain below freezing over most of the basin, but scarcely below 30°F. Freezing isotherms appear in June along the Siberian and Beaufort coasts and disappear in September. The zero isotherm of mean daily minimum temperature performs much like the zero mean daily maximum line, disappearing by May and reappearing in October off Ellesmere.

c) Extreme Minimum Temperature of Record (Figures 26 - 37).

The coldest isotherm, -65°F, appears in February (Figure 28) along the perimeter of the Canadian Arctic Islands and in a pocket astride the International Date Line between Wrangel Island and the Pole. July minima are all below freezing with areas as cold as +15°F in Franz Joseph Land. While the zero minimum isotherm has not yet been reached in May, all minima throughout the hasin are above zero in June. It reappears in September to encompass most of the basin.

d) Mean Dewpoint Temperature (Figures 38 · 49).

Lowest dewpoints of the year occur in January, the minimum being -45°F in the area of Eureka Inlet, Ellesmere Island. Highest values are reached in July when dewpoints in the upper 20's in the central basin are the lowest to be found (Figure 45). The freezing line appears first in June and disappears in September. The zero dewpoint line disappears by May and reappears in October.

e) Mean Windspeed (Figures 50 - 61).

Mean windspeeds are remarkably constant throughout the year. The bulk of the basin averages less than 12 miles per hour from December through Angust. Even during the wimliest month, October, wind speeds average less than 15 miles per hour over most of the basin. The windiest areas seldom averaging greater than 20 mph) are in the Kara Sea around Novaya Zemlya, the Bering Strait, and, to a lesser degree, in the New Siberian Islands. Lowest mean wind speeds (generally less than 4 mph) are encountered in the Canadian Arctic Islands, principally in the vicinity of Parry Channel throughout the year.

4. Comments on Histogram Maps. (See Appendix B.)

a) Maximum Wimbspeed of Record (Figure 62).

Greatest steady windspeeds (not gusts) are seen to occur along the peripheral coasts of the basin. Hurries (e force winds (75 mph) are not mecommon in Arctic coastal records and the station of Russkaya Gavan on Novaya Zemilya has recorded 90 miles per hour or greater in all five months from December through April. In the central basin, maximum recorded surface winds are generally below 50 miles per hour.

b) Frequency of Occurrence of Temperatures < -25°F (Figure 63).

The greatest frequency of days with low temperatures occurs along the perimeter of Canadian Arctic Islands. Temperatures at or below -25°F occur there and over most of the central basin on 105 to 140 days annually.

c) Frequency of Occurrence of Winds > 25 mph (Figure 64).

In the central basin, 14 to 23 days per year experience winds of 25 miles per hour or greater. All shore stations surrounding the basin exceed 25 days while stations in Spitzbergen and East Greenland exceed 100 days animally. Curiously, at Russkaya Gavan, where the greatest windspeeds have been recorded, speeds of 25 miles per hour are only equalled or exceeded on 69 days per year.

d) Frequency of Occurrence of Horizontal Visibility Restriction to One Statute Mile or Less (Figure 65).

Poor horizontal visibility is generally as frequent over the pack ice of the central basin as it is along much of the littoral, averaging 72 to 108 days per year restricted to one statute mile maximum. Substantially greater frequencies do occur in the Clinkchi and Kara Seas and parts of the Canadian Arctic Islands (up to 189 days annually); whereas, much lower frequencies are encountered around the Greculand Sea (less than 35 days). There is considerable variability of regime, but highest monthly frequencies should be expected in the summer, particularly within the basin.

5. Comments on Frequency of Occurrence of Hydronieteors.

Figure 66 illustrates the occurrence of various forms of precipitation which may be encountered on the ice pack throughout the year. Based on two consecutive years of data from Ice Island "T-3" while the station stayed within 330 miles of the Pole, the following generalities can be stated. Snow or sleet fell during every month, greatest in winter (49% in Dec.) and least in early spring (4% in Mar.). Rain, freezing rain, or drizzle occurred from May through September (17% of the time during July, when snow or sleet fell 21% of the time). Fog, limiting horizontal visibility to one mile, occurred in small amounts in all months except January, greatest (nearly 15% of the time) during September. Other restrictions to visibility (apart from darkness) including all torms of precipitation and blowing snow occurred in frequencies ranging from 2 percent in May to 10 percent in September. There was one unseasonal occurrence of rain recorded in November.





6. Map and Graph Figures. (See Appendix C.)


No.	Title						Page
1	Local	ns of drifting stations and					
2				on Temperature		1	7
3	71	Dally	.waxiiii	un remperature	-	January	8
4	**	••	17	**	-	February	9
5	**	**	"	**	-	March	10
6	,,	**	**	**	_	April	11
7	**	•	.,	••	-	May	12
8	.,	••	**	**	-	June	13
Ģ	**	**	**	••	••	July	14
	,,	**	••	••	-	August	15
10	••	**	"	**	-	September	16
11	"	**	"	**	-	October	17
12	"	**	**	**	-	November	18
13		**	"	•	-	December	19
14	Mean	Daily	Minimo	m Temperature	-	January	20
15	•••	**	**	**	_	February	21
16				**		March	22
17	**	**	79	**	_	April	23
18	**	**	**	**	_	May	24
19	**	**	**	***	-	June	25
20	**	**	**	**	-	July	26
21	**	**	**	**	-	August	27
22	**	11	**	**	_	September	28
23	**	**	**	**	_	October	29
24	11	**	**	79	_	November	30
25	**	**	19	**	_	December	31
26	Lowes	t Reco	orded To	emperature	_	January	32
27	**	**		***	_	February	33
28	**	17		**	_	March	34
29	11	**		**	_	April	35
30	**	**		**	_	May	36
31	**	**		".	-	June	37
32	99	**		**	_	July	38
33	**	**		99	_	August	39
34	**	19		79 .	-	September	40
35	**	**		**	_	October	- 41
36	**	19		19	-	November	42
37	**	**		11	_	December	43
38	Mean I	Dewpo	int Ten	iperature	_	January	44
39	11	**		11	-	February	45
40	**	**		11	_	March	46
41	**	11		**	-	April	47
42	**	**		77	_	May	48
43	**	**		**	_	June	49
44	**	99		**	_	July	50
45	**	11		**	_	August	51
46	**	**		**	_	September	51 52
47	**	**		**	_	October	52 53
48	**	**		11	_	November	54
49	**	99		**	_	December	
					-	December .	55


No.	Title					Page
50	Mean W	ind-peed	_	January		56
51	**	,,	-	February		57
52	**	**	-	March		58
53	**	**	-	April		59
54	**	**	_	May		60
55	**	19	-	June		61
56	**	**	_	July		62
57	**	**	_	August	V	63
58	**	••	_	September	•	64
59	**	11	_	October		65
60	**	••	_	November		66
61	**	**	-	December		67
62	Maxino	um Steady Windspeed (hi	stograms)			68
63	Mean N	Sumber of Days with Min	immm Temperatures at or Be	low -25°F (histograms)		69
64	Mean Number of Days with Windspeeds Equal to or Greater than 25 mph (histograms)				70	
65	Mean Number of Days with Least Horizontal Visibility Restricted to 1 mile or less by Natural Causes (other than darkness) (histograms)					71
66	Percent	t Occurrence of Hydrome	teors Near the North Pole (h	nistogram)		72


Footnote: Certain maps among those of Mean Daily Maximum Temperature, Mean Daily Minimum Temperature, and Mean Dewpoint Temperature show areas where temperatures are above the freezing point. On these maps, the 32°F line has been added to the sequence of 5-degree intervals. It is represented as a dashed line solely to distinguish the freezing isotherm from the rest and in no way implies less reliability than the solid lines.



















¥






































































÷












































































































PERCENT OCCURRENCE OF HYDROMETEORS MEAR THE NORTH POLE (2 year means from T-3, Apr 1952 - Apr 1954)



7. Arctic Basin Temperatures During the Last Century.

We often read that older Arctic Jemperatures were markedly lower than those of recent times. While such statements may be quite true of certain years, usually at onshore stations (e.g. the Kane and Greely expeditions to North Greenland and Ellesmere), the findings of this study with respect to the Arctic Basin proper do not entirely substantiate such an opinion.

When the offshore data are compared in periods of two decades for the last century, the following observations emerge. Mean monthly temperatures of the winter and summer seasons prior to the 1930's look essentially like those of the long-term record. Likewise, every month of the year for the last two decades is virtually indistinguishable from the long-term counterpart. Spring periods (April and May) prior to 1951 were generally warmer than the long-term means, in some cases appreciably so. October is the most variable month owing to its greater frequency of storms. Although data are scarce, October seems to have been markedly warmer during the 1B71-90 and 1911-30 periods and equally deviant on the cold side during the intervening period at the turn of the century.

Extreme minimum recorded temperatures are likewise not dominated by the older data. To the contrary, the lowest all-time temperatures for every month except March and June belong to the priod since 1954. Extreme maximum temperatures (record highs) are fairly evenly divided, on the monthly basis, between the pre-1900 and post-1955 data.

Notable deviations of mean monthly temperature are found in the data from "Sedov," "Sadko," and "NP-1" in the late 1930's when the entire cold season from November through April was significantly warmer than the long-term monthly record. All of this is inconclusive, however, due to the strong bias introduced by the volume of data, of which nearly 80 percent are from the last two decades. Still, the evidence suggests no valid reason to disregard the older data used in these map analyses.

Mean Temperature Comparisons in OF

PERIOD (No. of Months)	JAN	FEB	MAR	APR	MAY	<u>JUN</u>	JUL	<u>AUG</u>	SEP	<u>oct</u>	NOV	DEC
1871-1890 (2-4) 1891-1910 (4-5) 1911-1930 (2-3) 1931-1950 (2-6)	-28 -28 -27 -19 -27	-30 -27 -22 -20 -29	-28 -20 -24 -22 -28	-5 -8 -7 -8	17 13 10 12	31 30 29 28 28	34 32 32 32 32	33 31 32 29 29	20 17 20 17	4 -5 6 2	-11 -18 -12 -7	-20 -22 -22 -14 -24
1951-1970 (40-56)		-29 -28	- <u>-20</u> -27	-12	-:- -	28	32	29	17	= -1	-15	-23

Extreme Temperatures of Record (OF)

MONTH		<u>MAXIMA</u>		MINIMA -
JAN	+28	NP-5, 1956/ARL19-II, 1965	-62	T-3, 1964
FEB	+32	NP-5, 1956/ARLIS-II, 1965	-69	NP-4, 1955
MAR	+28	Nansen's Trek, 1896/T-3, 1960	-62	Fram, 1894
APR	+30	T-3, 1966	47	T-3, 1958
MAY	+37	Nansen's Trek, 1896/T-3, 1961 & 64	-24	T-3, 1959
JUN	+41*	Jeannette, 1880/T-3, 1958	-9	Jeannette, 1881
IUL	+46*	Jeannette, 1880	+19	NP-6, 1956/NP-12, 1964
AUG	+41*	NP-13, 1964/NP-20, 1970	+3	T-3, 1969
SEP	+38	T-3, 1961	-24	NP-3, 1954
OCT	+38	T-3, 1959	-47	NP-16, 1970
NOV	+26*	Sedov, 1938/ARLIS-II, 1961	-54	NP-16, 1970
DEC	+31	ARLIS-11, 1964	-57	T-3, 1957

 It will be noted in Table 1. Appendix B, that certain of the maxima given above have been exceeded by records from the ships, Tegetthoff and Fram. However, they were not, strictly speaking, within the Arctic Basin at those times.

IUN	+ 50	Tegetthoff, in 1873 in Barents Sca	AUG	+51	Fram, 1896 in harbor, Spitzbergen
•			NOV	+27	Tegetthoff, 1872 in Barents Sea

8. Acknowledgments.

the author is indebted to many persons for assistance in the data acquisition stages of this study. First acknowledgments go to colleagues in Earth Sciences Laboratory at Natick: Miss Pauline Riordan for the initial bibliographic search, Miss Janet Sanderson for extraction, tabulation and cartographic assistance, Mrs. Dorothy Taylor for data reduction, Mr. John Griffin and Miss Kristin Gill for final map drafting.

With apologies for possible omissions imposed by the confusion of scores of referred long distance phone calls, the following persons were of invaluable betp in providing data or significantly aiding in the location of often obscure and widely dispersed data sources: Mrs. Georgia Hergnes, American Geographical Society, New York; Messrs. James Decoster and G. Potocsky, USAF Environmental Technical Applications Center, Asheville, N. C.; Dr. Robert Faylor, Arctic Institute of North America, Washington; Col. Joseph Fletcher, Rand Corporation (currently with Office of Polar Programs, National Science Foundation): Messrs, Raymond Gordon, Albert Teagolo, and Walter Wittman, U. S. Naval Occanographic Office, Snitland, Md.; Mr. Arne Hanson, Office of Naval Research, Chicago; Mr. Wayne Hensley, USAF Air Weather Service, Asheville, N. C.; Mr. Robert Higgins, USAF 6th Weather Wing, L. G. Hauscom Field, Bedford, Mass.; Dr. Kenneth Hunkins, Lamont Geological Observatory, Palisades, N. Y.; Mr. Albert Karpovich, USAF Environmental Technical Applications Center, Washington, D. C.; Dr. Svenn Orvig, McGill University, Montreal; Mr. A. Delbert Peterson, USAF Environmental Technical Applications Center, Washington; Dr. Norbert Untersteiner, University of Washington, Seattle; and Commander Robert Vollmer. Office of Naval Research, Washington. In several cases, these specialists were kind enough to loan sole-source copies of original manuscript records compiled personally while serving as members of scientific expeditions, with permission to use the data in this study. More than half of the contributory data were acquired in this manner and through the excellent data retrieval system of USAF ETAC in Asheville. Thus, something less than 50 percent of the climatological information used is available through published sources.

In conclusion, the author is particularly grateful to Dr. Charles Keeler, U. S. Army Cold Regions Research & Engineering Laboratory, Hanover, N. II., for the opportunity to conduct an essentially library-type climatological study which could exploit so much heretofore unpublished material.

- 9. Selected Bibliography.
- Acetic Institute of North America 1953-69 Arctic Hibliography: Vols. 1 14, originally by U. S. Dept. of Defense, now jointly by various U. S. & Canadian governmental agencies, Queen's Univ. Press, Montreal.
- Badigin, K. W. 1941 Na korable "Georgii Seder" cherez Ledovitvi okean: [Aboard the Georgii Sedov through the Arctic Ocean – skipper's notes, 1937-1940], Izdvo Glavsevmorputi, Book 1, Moscow, 606 pp.
- 3. Belmont, A. D. 1954 Final Report on Arctic Meteorological Research; USAF Contract No. AF 19(122)-128, Dept. of Meteorology, Univ. of Cal., Los Angeles, Parts 4 & 5 (Ice Islands T-3 & SP-1) (for Part 6 see Dzerdcevskii this bib.).
- 4. Black, D. J. & N. A. Ostenso 1962 Gravity Observations from Ice Island ARLIS-II. 6 & Aber 1961 to 8 April 1962: Research Rpt. No. 62 8, Univ. of Wise, Geophys & Polar Research Ctr, Dept of Geology (for ONR Contract No. NR 1202 (16) and AINA Project ONR-313), Madison, Wise., November, 26 pp.
- 5. Boeing Company 1969 Arctic Environment Study Final Report: Acrospace Group, for ARPA, Order No. 1314, Seattle, October, 268 pp., microfiche.
- Brayton, G. E. 1962 Station ARLIS-I Oceanography, Part II, Tables. 1960 and 1961; Dept. of Meteorology & Climatology, Univ. of Washington, Scattle (Sci. Rpt. for ONR Contract 477(24) (NR307-252), February, 244 pp.
- 7. Brown, W. V. 1966 Ground Effect Machines (GEM) Operational Requirements; Final report Proj. No. USACDCTA-62-2 U. S. Army Combat Development Command, Transport Agency, Fort Eastis, Va.; 95 pp.
- 8. Bushnell, V. (Ed.) 1959 Scientific Studies at Fletcher's Ice Island, T-3, 1952-1955; Geophysical Research Paper No. 63, Terrestrial Sciences Lab, Air Force Cambridge Research Ctr, TR-59-232, Bedford, Mass., Vol. I, 219 pp. and Vol. II, 117 pp.
- Cabaniss, G. H., K. L. Hunkins, & N. Untersteiner 1965 US-IGY Drifting Station ALPHA, Arctic Ocean. 1957-58; AFCRL Special Rpt. No. 38 (AFCRL-65-848), Office of Aerospace Research, USAF, Bedford, Mass., November, 322 pp.
- 10. CANADA Defence Research Board, Dept. of Nat'l. Defence, 1966 Trials of nn SR, N5 "Hovercraft" in Northern Canada: Spring 1966; Rpt. No. DR 182, Interservice Hovercraft Trials Unit, Ottawa, 109 pp. (microfiche).
- 11. ---- Meteorological Branch, Dept. of Transport 1941-1969 Monthly Record: Meteorological Observations in Canada, Toronto (various).
- 12. ———— Meteorological Division. Dept. of Transport 1947 Climatic Summaries for Selected Meteorological Stations in the Dominion of Canada: Vol. 1; Average Values of Mean and Extreme Illumidity, Sunshine & Precipitation; Toronto, 63 pp. plus Addendum to Vol. 1 (1954), 29 pp.
- 13. ———— Meteorological Branch, Dept. of Transport 1954-1970 Arctic Summaries: (Semi-annual) Meteorological Data from the Joint Arctic and Other Weather Stations on the Arctic Islamls: Toronto (various).
- 14. ---- Meteorological Branch, Dept. of Transport 1959 Climatic Summaries for Selected Meteorological Station in Canada; Vol. II (revised): Ilamidity and Wind; Toronto, 141 pp.
- 15. ---- Mcteorological Branch, Dept. of Transport 1960 Climatic Data from DEW LINE Stations; CDS No. 10-60; Toronto, 18 pp.
- 16. Chukanin, K. J. 1957 Meteorological Observations; in Observational Data of the Scientific Research Station (SP-2) of 1950-51 (M. M. Somov, Ed.), Transl. by AMS for Geophysics Research Directorate, AFCRC, Air R&D Command, from original Materialy nablindenii nauchno-isslenlovatel' skoi dreifniushchei stantsii 1950-51, Vols I-III, Izd Morskoi Transport, Leningrad, U. S. Dept of Commerce, Office of Tech. Services, Boston, 231 pp.
- 17. DeLong, G. W. 1884 The Voyage of the "Icanaette"; (commander's log), Houghton-Mifflin, Boston, 2 vols., 911 pp.

- Den Hartog, S. L. & N. A. Ostenso: 1962. Gravity and Magnetic Observations from Ice Island ARLIS-II, 1 July to 6 October 1964; Research Rpt No. 62-7, Univ. of Wise, Geophys & Polar Research Ctr, Dept of Geol, (for ONR Contract No. NR 1202 (16), Madison, Wise, September, 20 pp.
- DJ NMARK Danske Meteorologiske Institut, 1947-1960 Danske Meteorologisk Aarbogen; Part II, Le Groenland; annual summaries of climatic data for Greenland stations, Charlottenhuid (various).
- ---- Danske Meteorologiske Institut, 1960 Summaries of Weather Observations at Weather Stations in Greenland: 1961-1965; Charlottenland, 213 pp.
- Dzerdeevskii, B. L. 1954 (written 1939) The Circulation of the Atmosphere in the Central Polar Busin; Transl. by C. D. Benster, original in Edatelstvo Glavseymorpati, Dreifidusheldii Stantsii "Severayi Polius" (1937-38) Trudy, Dept. of Meteorology, Univ. of Cal. Los Angeles for AFCRC, Air R&D Command Contr. No. AF 19(122-128) (as Part 6 in Belmont this lift).
- Efremov, A. 1940 Hydrological and Meteorological Work on Board of the Ice Breaker "Sedov": (photocopy
 of English transl. (rom unknown secondary source) Comtes Rendus (Doklarly) de l'Academie des Sciences de
 l'URSS, Vol. 27, No. 2, pp. 128-132.
- 23. Falkowski, S. J. 1957 Climatic Analogs of Fort Greely, Alaska, and Fort Churchill, Canada, in Eurasia; U. S. Army QMR&E Tech Rpt EP.77, QMR&E Ctr, Natick, Mass., 50 pp.
- GERMANY Kriegsmarine Oberkommando, 1940 Die Naturverhaltnisse des Sibirischen Seeweges: Geheime Beilage zum Handbuch des Sibirischen Seewegen [Natural Conditions of the Siberian Seaway: Annex to Handbook of same], Berlin: 1956 U. S. Navy transl, TR 1294 ONI-A-665, microcards, Air Weather Service, Data Processing Division, Asheville. 203 pp.
- Gringorten, I. I., H. A. Salmela, I. Solomon, & J. Sharp. 1966. Atmospheric Humidity Atlas Northern Hemisphere: Air Force Surveys in Geophysics No. 186, (AFCRL-66-621), Office of Aerospace Research, USAF, Bedford, Me, August, 142 pp.
- Hanson, Arne 1957-66 Manuscript WNAN-10 Duily Climatic Observations for Ice Stations ARLIS I & ARLIS II and Monthly Tabulations for ALPHA, CHARLIE and T-3; Office of Naval Research, Chicago (personal communications).
- Hanson, A., & B. Lieske 1962 Radiation Regime of Drifting Station CHARLIE for August October 1959;
 Sei, Rpt. No. NR 477(24) for ONR T.O. 307 252, Dept of Meteorology & Climatology, Univ. of Wash, Seattle,
 September, 60 pp.
- 28. Hare, F. K. & S. Orvig 1958 The Acetic Circulation: A Preliminary Review; Arctic Meteorology Research Group Publ. in Met. No. 12, McGill Univ, for AFCRC, TN-58-486, Montreal, June, 211 pp.
- Hastings, A. D. 1959 Climatic Analogs of Fort Greely, Alaska, and Fort Churchill, Canada, in North America;
 U. S. Army QMR&E Tech Rpt EP-111, QMR&E Ctr. Natick, Mass, 60 pp.
- ---- 1963 Appendix of Climatic Tables to Environment of the North Greenland Littoral: unpublished typescript. U. S. Army QMR&E Ctr. Natick, Mass. 28 tables.
- 31. Herbert, Wally 1971 Across the Top of the World: incl. data from British Trans-Arctic Expedition 1968-69, Putnam & Sons, N. Y., 347 pp.
- Hildebrandsson, H. H. 1882 Observations Meteorologiques Fuites par L'Expedition de la Vega du Cap Nord a Yokohama par le Detroit de Behring: in Nordenskjold, N.A.E., Vega-expeditionens vetenskapeliga akttagelser, Vol. 1, pp. 573-675.
- Hunkins, Kenneth. 1970. Manuscript Duily Weather Log for Ice Island T-3 for period May 1962—Dec 1965;
 Lamond Geol. Obs. Palisades. N. Y. (mapuhl. personal communications) December.
- Jones, T. L. (compiler) 1961 Filot of Arctic Canada Vol III: (western sector) Canadian Hydrographic Service, Surveys & Mapping Branch, Dept. of Mines and Tech. Surveys, Queen's Printer, Ottawa, 370 μμ. phos maps in jacket.

- Kliukin, N. K. 1960 Klimaticheskii orberk Severa-Fostaka SSSR: (Climatic Outline of Northeastern 1988R), intrometeorologichskoi izd-vo, Moscow, 141 pp.
- Leont'eva, E. A. 1947 Klimat Soretskoga sektom arktikis (Climate of the Soviet Sector of the Arctic),
 Arkticheskii nauchno-issledovatef-skii institut Trudy, Vol. 195, Leningrad, 442 pp.
- Meyer, H. K. 1955 Das Wetter in der N\u00e4de des Nordgois; data from USSR drift stations NP-3 and 3a, Meteorologische Rundschau, Vol. 8 Nos. 1/2 (Jan/Feb) and 7/B (July/Aug), Bad Kissingen, pp. 35-39 & 117-122.
- Mohn, H. 1905 Meteorology: Nansen's Norwegian North Palar Expedition ("Fram") 1893-1896, in Scientific Results, Vol. 6, No. 17, Christiana, Norway, 659 pp.
- NORWAY 1949-1961 Norsk Meteorologisk Arboken; animal simularies of climatic data for North Atlantic and Greenland Stations, Norske Meteorologiske Institutt, Oslo (Blindern) (various).
- Olenicoff, S. M. 1968 Soviet Development and Use of Drifting Automatic Radio-meteorological Stations for Arctic Research; Memorandum RM-5624-PR, for USAF, Rand Corp, Santa Monica, Cal., 70 pp.
- Orlova, V. V. 1962 Climate of the USSR: Issue 4, Western Siberia: Part III, Winds: Foreign Technology Div, U. S. Air Force Systems Communit, Wright-Patterson AFB, Dayton, 389 pp. (microfiche).
- Orvig, Svenn (Ed.) 1970 Climates of the Polar Regions; Vol. 14 of World Survey of Climatology, Elsevier P № Co., New York, April, 370 pp.
- 43. Petterssen, S., W. C. Jacobs, & B. C. Haynes. 1956 Meteorology of the Arctic: OPNAV PO3-3. The Dynamic North, Part I, Chap 2, for the Tech. Asst. to Chief of Naval Operatio of for Polar Projects (OP-03A3), Washington, March, 206 pp.
- 44. Prik, Z. M. 1950 Climatic Outline of the Kara Sea; Transl. by Geo. S. Mitchell, U. S. Arnıy QMC, Env. Prot. Div., Rpt. No. 130, Washington, February, 61 pp.
- 46. Rayner, J. N. (Ed.) 1960 Temperature and Wind Frequency Tables for Eurasia; Arctic Meteorology Research Group Publ. in Met. No. 18 (Vol. 1, Jan-Mar) February; No. 20 (Vol. 2, April-Jun) May; No. 21 (Vol. 3, Jul-Sep) June; and No. 23 (Vol. 4, Oct-Dec) July, McGill Univ. for QMR&E Command, U. S. Army Natick, Mass, Montreal, 206 pp. each plus loose supplement pp.
- Reed, R. J. & W. J. Campbell 1960 Theory and Observations of the Drift of Ice Station ALPHA: Dept of McGeorology & Climatology, Univ. of Washington, Scattle (Final Rpt. for ONR Task No. NR 307-250), December, 255 pp.
- Riazantseva, Z. A. 1937 Klimat navusibirskikh ustrovae i del'ty reki Leay; (Climate of the New Siberian Islands and the delta of the Lena Biver), Vsesoiuznyi arkticheskii institut, Trudy, Vol. 102, Materialy poklimatologii poliarnykli oldastei SSSR, vyp. 6, Leningrad, 78 μp.
- Sheherlakova, Ye. Ya. 1961 Climate of the USSR: Issue 5, Eastern Siberia: Part II, Temperature: Foreign Technology Div, U. S. Air Force Systems Command, Wright-Patterson AFB, Dayton, 228 pg. (microfiche).
- Stepanova, N. A. 1965. Some Aspects of Meteorological Conditions in the Central Arctic: A Review of USSR Investigations; USWB, Washington, May, 136 μη.
- Sverdrup, H. U. 1930 Meteorology Part II (tables); Scientific Results of the "Mand" Expedition 1918-1925, Vel 3, Grieg publ., Bergen, Norway, 527 pp.
- 53. Tikbanirov, E. I. 1940 Climatological Handlook Dealing with the Soviet Sector of the Arctic; (transl. from Russian) Vol. 150 Trans. of 1-88B Arctic Scientific Besearch Institute, Chief, Hept. of Northern Sea Routes (with the Conneil of People's Commissars), Leningrad-Moscow, 119 μμ.

- U.S.S.R. Nauchno-issledova tel'skii Institut 1959 Materialy nabliadenii nauchno-issledovatel' skikh dreifniushchikh stantsii "Necernyi polins-4", "Necernyi polius-5", and "Necernyi polius-6": 1956-1957 goda; [Observational Data from the Scientific Drifting Stations, Northpole 4, 5, & 6], Izdvo Morskoi transport, Vol 2, Ark. i Antark. Leningrad, 648 pp.
- UNITED KINGDOM Air Ministry, Meteorological Office 1958 Tables of Temperature, Relative Hamidity and Precipitation for the World: Part V, Asia; M. O. 617e, HMSO, London, 129 pp.
- Serve Air Ministry, Meteorological Office 1960 Tables of Temperature, Relative Humidity, and Precipitation for the World: Part III, Europe and the Atlantic Ocean North of 35°N; 617c, IIMSt), London, 159 pp.
- U. S. AIR FORCE Air Weather Service 1946 Climatology of the Arctic Regions: Special Study No. 58, (7-6591 AF), Parts 1 and II, Wa bington, 252 pp.
- 58. ---- Air Weather Service 1955-1970 Uniform N Summaries of Climatic Data for Coastal Stations in Greenland and USSR; machine printonts; Data Processing Div, Climatic Center, Nat'l Weather Records Ctr, Asheville (various).
- ---- Air Weather Service 1960 Uniform Summary A & B of Surface Weather Observations: Ice Island T-3, April 1952 - May 1954; machine printout Job No. 91002, Data Control Div. Nat'l Weather Records Ctr, Asheville, 87 pp.
- 60. ———— Air Weather Service Environmental Tech. Applications Ctr. 1970 USSR Ice Island Surface Synoptic Data: Islands SP-10 thru SP-20, 1961-70; machine printout, Job No. CL 10447, Data Processing Div, Asheville, 317 pp.
- 61. ---- Air Weather Service Environmental Tech. Applications Ctr. 1970 BBAN-10 Daily Climatic Observations (microfilm) for Ice Island T-3; Periods Jan 1959 Oct 1961 and Jun 1968 Oct 1969 (+ Mar 1970); Data Processing Div. (MAC), Asheville.
- 62. ———— Air Weather Service Environmental Tech. Applications Ctr. 1971 Special Summaries (climatic): (8 stations during period 1948-1958 and 3 stations; period 1959-1968 on Siberian Coast), microcards, Data Processing Div., Asheville.
- 63. ----- 11th Weather Squadron, Arctic Weather Central 1950 Climate, Weather and Flying Conditions of Alaska and Eastern Siberia; Elmendori AFB, Ancharage, 52 pp.
- 64. U. S. ARMY Cold Regions Research & Engineering Laboratory 1970 SEV Arctic Environment Data Package; for ARPA Order No. 1615, Hanover, N. 11., 91 pp.
- U. S. DEPT OF COMMERCE, Weather Bureau 1962 Climatological Data for Arctic Stations (ALPHA & BRAVO): July 1957 December 1958, No. 1; Washington, 63 pp.
- U. S. DEPT OF COMMERCE, Environmental Science Services Administration, Environmental Data Service 1967 World Weather Records 1951-1960: Vol. 4, Asia; Washington, selected pp. 454-520.
- 67. ————— Environmental Science Services Administration. Environmental Data Service 1968 World Weather Records 1951-1960: Vol. 6, Antarctica, Australia, Oceanic Islands and Ocean Weather Stations; Washington, pp. 163-167.
- Environmental Science Services Administration. Environmental Data Service 1969 Climatological Data for Arctic Station T-3: June 1966 – May 1968; Asbeville, 218 pp.
- U. S. NAVY Chief of Naval Operations 1963 Marine Chimatic Atlas of the World, Vol. 6, 4retic Ocean; NAVWEPS 50-1C-533, GPO, Washington, 305 pp.
- +---- Environmental Detachment, Nat'l Weather Records Ctr. 1969. Listing of Marine Weather Observations from I/SSR Ice Islands; (Northpole 1, 2, 4, 6, 7, 8 & 9), machine printont, Naval Weather Service Job No. 76070, Asheville, 258 pp.
- ———— Hydrographic Office 1958 Oceanographic Atlas of the Polar Seas, Part II, Arctic: H. O. 705, Washington, 139 pp.

- 72. ———— Naval Weather Service Command 1967. World-Wide Airfield Summaries, Vol. IV, Consda, Greenland and Iceland; Washington, 682 pp.
- Untersteiner, Norbert 1970 Manuscript #B 1N-10 Daily Observation Record for Ice Island T-3, period Jan 1965-Mny 1966 (personal communication) Univ of Washington, Scattle, October.
- Van Der Bijl, W. 1956 Meteorologische Wuarnemingen bij de Noordpool; Hemel en dampkring, Vol. 54, Amsterdam pp. 72-77.
- Vize, V. In 1940 Klinout morei Sovetskoi Arktiki: (Climate of the Soviet Arctic Seas), Glavsey-morputi, Leningrad; 1956 condensed transl. as Air Intelligence Info. Rpt. IR-1121-56 (AF 728130), microcards. Air Weather Service, Data Processing Division, Asheville, 61 pp.
- Walter, H. & H. Leith 1967 Klimadigramm Weltatlas: sections Eurosiberien + 1, Nordamerike + 4 and Nordpolargebiet + 7) Landwirtschaftlichen Hochschule, Stuttgart-Hohenheim, Fischer (publ.), Jena, Germany.
- Wijkander, A. 1875 Observations meteorologiques de l'expedition arctique suedoise 1872-1873; (Meteorological Observations of the Swedish Arctic Expedition). Svenska vetenskapsakademien, Handlingar, Vol. 12, No. 7, Stockholm, 120 pp.
- 78. Wilson, C. 1969 Climatology of the Cold Regions: Northern Hemisphere II, Cold Regions Science & Engineering Monograph 1-A3b USACRREL, Hanover, N. II., August. 163 pp.
- 79. Wilson, H. P. 1961 The Major Factors of Arctic Climate; in Proceedings of Int'l Symposium on Arctic Geology, Vol. 2, pp. 915-930.
- 80. World Meteorological Organization 1962 Climatological Normals (CLINO) for Climat and Climat Ship Stations for the Period 1931-1960. WMO Publ. No. 117, TP-52. Geneva (Canada, Alaska, USSR, & Norway).
- 81. Wullerstorf-Urbair, B. 1879 Meteorological Observations and Analysis of the Ship's Course During the Austro-Hungarian Arctic Expedition, 1872–1874: Resultate Osterreichische Ungarische Arctische Expedition 1872–74. Akademie der Wissenschaften, Mathematisch-naturwissenschaftliche elasse, Vol. 35, Vienna.
- 82. Zavialova, I. N. & G. G. Sergeeva 1963 Rezul'tiruiuschii veter nad Sovetskoi Arktikoi; (Resultant wind over the Soviet Arctic), Ark. i. Antark. n-issl lust. Trudy, Vol. 253, Leningrad, pp. 138-151.

APPENDIX A

INVENTORY OF ARCTIC OCEAN STATIONS FOR WHICH \underline{BOTH} MEAN MONTHLY POSITIONS AND

Ships	Period of Meteorol, Record	
Fram (F. Nausen - Norwegian North Polar Exp.)	Oct 1893 - Aug 1896 (35) m	outlis
Jeannette (G. W. DeLong - US Navy Polar Exp.)	Sep 1879 – Jan 1881 (22)	**
Mand (II.U. Sverdrup—Norwegian No. Polar Exp.)	Sep 1922 – Jul 1924 23	••
	Oct 1937 – Jul 1938 10	**
Sadko (Soviet icelæraker)	Nov 1937 – Dec 1939 26	19
sedov (**
Tegetthoff (Weyprecht/Payer-Austr/Hungar.)	Aug 1872 – Oct 1873 <u>15</u> Sub-total (131 m	ouths)
0	(13.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	,
Over-ice Treks		
British Trans-Arctic Expedition	Feb 1968 — Jun 1969 (17)	"
Nansen's Sledge Journey	Mar 1895 — Jun 1896 (16)	**
Drifting Ice		
Alpha (USA)	Jun 1957 – Nov 1958 (18)	••
Arlis I (USA)	Sep 1960 - Mar 1961 7	**
Arlis II (USA)	Jul 1961 – Mar 1965 45	**
Charlie (USA)	Jun 1959 - Dec 1959 7	11
Northpole I (Severnyi polius (SP)-USSR)	May 1937 Jan 1938 (9)	**
Northpole II	Apr 1950 - Mar 1951 12	**
Northpole III	Jul 1954 - Mar 1955 (9)	**
Northpole III alt.	Aug 1954 - Jul 1955 b (10)	••
Northpole IV	Nov 1954 - Apr 1957 (30)	••
Northpole V	Apr 1955 - Mar 1956 12	19
Northpole VI	May 1956 - Aug 1959 (30)	**
Northpole VII	May 1957 - Mar 1959 (23)	**
Northpole VIII ".	May 1959 - Apr 1961 (24)	**
Northpole IX	May 1960 - Mar 1961 11	••
	Nov 1961 - Apr 1964 b (28)	••
Northpole X	May 1962 - Apr 1963 h (10)	**
Northpole XI	May 1963 - Dec 1964 20	"2
Northpole XII "(1965 missing)	May $1964 - Mar 1967 b$ (23)	••
Antipole Atti (1300 missing)	Jan 1966 1	11
Northpole XIV	Apr 1966 – Feb 1968 (23)	**
Northpole XV	May 1968 - Dec 1970 32	" +
Northpole XVI	Jun 1968 – Sep 1969 16	**
Northpole XVII	Nov 1968 – Dec 1970 26	. +
Northpole XVIII	Nov 1969 – Dec 1970 (14)	* +
Northpole XIX	May 1970 - Dec 1970 8	** +
Northpote XX	, , , , , , , , , , , , , , , , , , , ,	**
Fletcher's T-3 (USA)		**
Fletcher's T-3 (USA)		••
Fletcher's T-3 BRAVO (USA)	Jul 1957 = Oct 1961 (52) May 1962 = Oct 1964 30	••
Fletcher's T-3 (USA)		**
Fletcher's T-3 (USA)	Jan 1965 - Mar 1970 b (59)	
	Sulctotal (619 mg	
	TOTAL 782 mice	u (US
Months of Data COUNT		
lan = 57 (5)	Jul = 67 (2) Oct =	61 (6)
Feb = $56 (4)$ May = $60 (4)$	$Ang = 65 (3) \qquad Nov =$	63 (5)
Mar = 56 (5) $Jun = 63 (4)$	Sep = 61 (5) Dec =	64 (5)

APPENDIX B

SELECTED TEMPERATURE AND WINDSPEED TABLES FOR DRIFT STATIONS AND OVER-ICE TRAVERSES

Footnotes

M	= missing data (too scanty or otherwise mavailable during data search)
()	= questionable data (some observate resunssing and poorly distributed)
١	= record for NP-16, NP-18, NP-19, NP-20, & T-3 continues after 1970
1	= oushore record, Nansen's island camp at Cape Norway
•	= data from alternate station, NP-3, after main station was abandoned
	= whole year of 1956 missing from the T-3 record

(Blank spaces indicate station inoperative.)

TABLE 1: Maximum Recorded Temperature (OF) - not mapped

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Fram	1893										(9)	23	3
**	1891	-13	15	4	14	32	37	38	37	32	12	14	.6
**	1895	11	-4	-6	-2	28	35	36	35	34	13	11	-2
••	1896	2	22	27	26	36	39	37	(51)				
Jeannette	1879									35	31	24	16
11	1880	-22	-23	4	20	35	41	46	40	27	15	8	12
**	1881	6	16	M	M	M	27			0.5	0.4		1.4
Maud	1922						00	00	0.6	35	24	19	14 .6
,,	1923	-14	26	0	15	26	38	38	36	32	20	2	•0
**	1924	-4	-10	.9	4	23	36	27			23	20	18
Sadko	1937				00	96	36	24			23	20	10
	1938	M	1	-1	20	26 M	36	36 M	• M	34	32	18	27
Sedov	1938	17	l	M	21 4	27	34	38	35	30	31	26	23
	1939	7	.5	ı. 1	-9	21	0.4	30	47	33	36	27	-2
Tegetthoff	1872	27	28	0	17	28	50	46	42	35	25	•	_
DT A Tools	1873 1968	2 ((.9)	16	3	32	36	37	36	32	21	1	5
B.T.A. Trek	1969	-13	-6	-20	19	32	00	٠.		-		-	
Nansen's Trek	1895	.10	-0	-11	.4	26	34	35	35	[40	11	11	13
Manager S Tick	1896	10	30	28	27]	37	(34)	-					
Aipha	1957		00		,	٠.	(35)	35	34	29	25	-1	-10
Japan Parker	1958	3	-14	.5	6	27	37	38	37	33	20	1	
Arlis-I	1960	•	-,-	_						30	24	i	17
**	1961	18	-8	-15									
Arlis-11	1961							39	35	32	29	26	-1
**	1962	21	17	26	16	25	37	35	34	30	24	22	-1
**	1963	-4	.9	-7	11	33	40	41	35	28	15	6	8
**	1964	.9	-2	-4	10	28	38	35	36	33	18	11	31
**	1965	28	32	9									
Charlie	1959						37	36	36	33	31	13	10
Northpole-1	1937					(28)	34	36	34	26	22	17	23
**	1938	20											• •
Northpole-2	1950				18	30	34	38	33	31	25	9	-12
**	1951	0	2	∙3								_	_
Northpole-3	1954							M	36	32	30	7	7
**	1955	-1.5	-6	16	18•	30•	34•	34•			••	(10)	10
Northpole-4	1954					0.0		0.4	M	M	M	(12)	19
**	1955	-13	·13	14	18	30	34	34	34	28	23	-8	4
**	1956	14	16	.8	0	27	32	34	32	28	(7)	(21)	(25)
,,	1957	(10)	(19)	(14)	10	. 20	24	34	36	30	19	-8	-4
Northpole-5	1955	00	20	-	18	. 30	34	34	30	30	19	•0	•••
	1956	28	32	7		27	34	37	32	32	30	1_	l
Northpole-6	1956	M	11	M	M		M	36	34	30	32	9	-11
**	1957 1958	M 9	M .9	M 5	M 7	M 25	34	34	34	32	18	í	9
	1957	9	.9	J	4	28	34	M	34	27	27	.2	(·13)
Northpole-7	1958	9	-15	-8	7	19	34	37	34	34	14	ī	3
••	1959	-13	-18	-8	•	• • •	•	٠.	•	•		-	•
Northpole-8	1959	10	0	•			34	37	36	34	30	13	7
"	1960	8	12	- 1	8	28	34	39	34	28	19	3	3
99	1961	4	.2	-16	15	_	-						
Northpole-9	1960	•				33	34	39	36	33	20	6	5
**	1961	-2	-2	-12									
Northpole-10	1961	_	_									(21)	14
19	1962	27	7	9	18	21	36	34	(32)	36	M	M	-2
**	1963	.2	ı	-11	14	28	34	36	34	12	18	14	7
**	1964	-11	5	1	18								
Northpole-11	1962					25	36	37	36	25	M	M	-6
MOLITIPOSE- 1 I													

TABLE I (continued)

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Northpole-12	1963					34	34	(43)	32	30	9	10	7
"	1964	0	-13	-15	l	27	36	34	36	25	14	12	3
Northpole-13	1964					32	36	36	(41)	28	28	18	12
"	1965	M	M	M	M	M	M	M	M	M	M	M	M
**	1966	.2	0	-15	12	25	34	36	34	32	9	7	21
11	196"	-6	-17	16									
Northpole-14	1965	31	M	M	M	M	M	M	M	M	M	M	M
"	1966	.2											
Northpole-15	1966				(5)	28	32	34	36	25	23	7	10
"	1967	-4	-17	.6	23	19	34	34	32	32	21	3	12
**	1968	9	4										
Northpole-16	1968					32	34	36	36	34	26	9.	0
**	1969	10	-11	3	18	28	36	34	34	32	23	12	0
79	1970	7	-6	.9	3	28	34	36	36	32	21	9	.2 +
Northpole-17	1968						37	39	36	32	23	3	-2
79	1969	5	5	.2	1	19	34	34	34	30			
Northpole-18	1968											3	10
99	1969	10	-11	-4	23	30	37	36	37	32	25	7	3
**	1970	12	·2	-8	9	36	36	41	36	32	19	16	0+
Northpole-19	1969											1	0
**	1970	7	4	-4	12	34	36	34	34	32	19	16	3 +
Northpole-20	1970	-	-			28	36	41	41	32	16	16	3 +
Fletcher's T-3	1952				22	30	34	36	34	26	!3	2	0
99 ,	1953	.2	-10	-14	17	33	36	36	33	32	12	15	-5
**	1954	-10	-16	-25	14	M	M	M	M	M	M	M	M
99	1955	M	M	M	M	23	35	36	36	29			
**	1957							42	37	28	18	4	-14
**	1958	19	-6	-2	-7	27	41	38	38	35	25	-5	5
••	1959	-7	0	.9	12	32	40	40	39	35	38	17	-1
**	1960	(-12)	30	28	29	34	39	40	35	34	32	2	23
**	1961	25	4	3	(25)	37	39	39	35	38	35		
**	1962				\	32	39	37	34	28	18	1	0
**	1963	-5	-14	-14	6	29	34	38	33	27	10	5	-1
**	1964	-26	-26	-18	-2	37	36	37	37	26	22	M	M
**	1965	1	-6	9	18	30	36	37	35	31	28	25	3
**	1966	13	.6	-11	30	36	40	38	37	31	25	25	4
**	1967	2	2	3	28	32	37	35	34	31	26	5	.2
11	1968	15	-19	3	5	35	39	36	34	33	25	.2	3
**	1969	-7	-6	-14	13	22	35	34	34	30	18	M	M
**	1970	. M	M	-8	M	M	M	M	M	M	M	M	M +

TABLE II: Mean Daily Maximum Temperature (OF)

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Fram	1893										1	-5	-14
91	1894	-26	-25	-28	0	18	32	34	33	2.7	0	-17	-25
11	1895	-22	-28	-26	-14	14	31	33	31	20	0	-16	-21
19	1896	-28	-22	7	5	17	32	34	(37)				
Jeannette	1879								,	(29)	(19)	(3)	(-3)
11	0881	(-31)	(-30)	(-12)	(2)	(23)	(35)	(37)	(37)	(24)	(12)	(-10)	(-18)
**	1881	(-22)	(.19)	(-33)		, .	, ,	` '	, ,	` '	, ,	, ,	, ,
Maud	1922	, ,								25	12	-6	-7
**	1923	-26	.9	-17	0	12	31	34	33	22	10	-7	-25
**	1924	-18	-23	-20	-4	14	31	33					
Sadko	1937										(19)	(7)	(·2)
**	1938	(·11)	(-12)	(-13)	(2)	(15)	(31)	(33)					
Sedov	1937											(8)	(-2)
**	1938	(·10)	(·12)	(-10)	(2)	(16)	(28)	(33)	(32)	(28)	(14)	(-1)	(-3)
99	1939	(-20)	(-16)	(.29)	(·7)	(12)	(30)	(34)	(31)	(19)	(6)	(-1)	(-10)
Tegetthoff	1872								(36)	(18)	(7)	(-8)	(-16)
••	1873	(·13)	(·24)	(.20)	(·1)	(23)	(36)	(39)	(36)	(27)	(6)		
B.T.A. Trek	1968-69				——insuf				ions				
Nansen's Trek	1895-96					11	19 91	11					
Alpha	1957						32	33	29	16	8	.14	-30
	1958	19	-28	·20	-14	12	31	35	33	16	.3	.12	
A rlis-I	1960									(25)	(4)	(.12)	(-15)
	1961	(-16)	(·24)	(·27)									
Arlis-Il	1961				-			35	33	28	9	.2	-15
11	1962	-14	·15	-10	1	13	32	34	31	21	6	-4	-20
"	1963	-33	-26	.32	-12	14	32	35	32	19	2	-8	-12
11	1964	-30	-28	-25	-13	8	31	33	31	18	1	-7	.9
	1965	·16	5	-8			40.11	400	.0.01	100			. 20
Charlie	1959					43.6	(31)	(33)	(32)	(20)	(-1)	(-12)	(·20)
Northpole I	1937		•			(16)	29	33	31	15	0	-5	-6
Neetherds 2	1938 1950	-12				17	21	24	2.	99		10	95
Northpole-2		.29	-25	1.7	-2	17	31	34	31	22	8	-12	.25
Northpole-3	1951 1954	.29	.23	-17				(22)	(21)	(10)	414	(·Í3)	
Mornipole-3	1955	(-28)	(-28)	(-20)	(-7) *	/11*	(31)*	(33) (33)*	(31)	(18)	(14)	(-13)	(-18)
Northpole-4	1954	(-20)	(-20)	(-20)	(-1)-	(14)*	(31)	(33)"	M	M	M	/ E\	15
"	1955	-24	-31	-21	.12	11	30	33	31	18	3	(·5) ·22	·15 ·23
19	1956	-22	-18	-30	-13	10	(26)	(33)	(31)	(13)	(·2)	·22 (-4)	
77	1957	(-15)	(-17)	(-18)	(·13)	10	(20)	(33)	(31)	(13)	(.2)	(-4)	(0)
Northpole-5	1955	(-10)	(-1.)	(-10)	(-7)	(14)	(30).	(33)	(32)	(20)	(5)	(·21)	(·22)
"	1956	(·12)	(·11)	(.23)	4.43	(1-7)	(00).	(90)	(44)	(20)	(0)	(-21)	(-22)
Northpole-6	1956	(,	(,	(=0,		19	28	32	29	(24)	(8)	(·II)	(·14)
11	1957	M	M	M	M	M	M	32	30	22	5	.9	-30
**	1958	-19	.22	-18	-13	11	30	32	32	20	-1	·21	-14
Northpole-7	1957	- •				15	30	(33)	28	13	9	-18	-32
••	1958	-22	-30	-21	-17	9	29	33	32	16	·5	.13	-17
19	1959	-30	-33	-28		•	_,				•		
Northpole-8	1959						30	33	31	20	6	-10	-19
**	1960	-23	-18	-15	-7	16	30	33	31	21	6	-12	·11
**	1961	-16	-25	-27	-8				-	_	-	<u>-</u>	
Northpole-9	1960					22	32	34	32	25	8	-7	-15
11	1961	-17	-28	-30									

TABLE II (continued)

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JU1.	AUG	SEP	OCT	NOV	DEC
Northpole-10	1961											(-9)	(-20)
, ,	1962	(-15)	(-18)	(.13)	(-3)	10	28	32	28	23	M	M	-25
**	1963	-27	-27	-32	.9	12	31	33	29	20	-3	-15	·16
••	1964	-34	-29	-26	·15								
Northpole-11	1962					13	28	32	(31)	M	M	M	.25
11	1963	-31	-23	-28	(-7)								_
Northpole-12	1963					17	30	34	29	21	-1	.9	.9
**	1964	-34	-34	-30	-13	9	28	33	32	17	4	-11	.23
Northpole-13	1964					16	30	34	33	20	5	-6	-27
**	1965	M	M	M	M	M	M	M	M	M	M	M	M
**	1966	-27	-19	-29	-8	11	26	33	31	19	.9	-13	-15
**	1967	-27	-38	-22			•	• •	34		84	M	M
Northpole-14	1965	M	M	M	M	M	M	M	M	M	M	:VI	M
**	1966	-24					A=	20.0	20	15	0	12	-12
Northpole-15	1966			24	(-4)	11	27	32	32	15	.9 3	·13 ·13	-12
77	1967	-28	-34	-26	.9	14	28	33	30	25	ð	.19	-22
"	1968	-19	-31			20	20	22	32	23	4	-23	-22
Northpole-16	1968		20	05	10	20	30	33 33	30	25 25	0	-17	-16
"	1969	-26	-28	-25	-10	13	30	32	31	17	-4	-14	-24 +
	1970	-17	·26	-23	-14	14	27 32		32	20	3	-15	-25
Northpole-17	1968		00	24	17	4	32 29	33 32	30	19	J	.10	-20
•	1969	-21	-20	-34	-17	6	29	32	30	19		-11	-16
Northpole-18	1968	12	-24	-21	-2	(17)	32	31	32	27	2	.9	-14
**	1969	-13 -16	-17	-21	-13	13	27	32	30	21	ī	.6	-21 +
N	1970	-10	-14	-21	-10	10		02	30		•	-15	(-15)
Northpole-19	1969 1970	-12	-15	(-15)	-10	18	28	32	30	23	5	-5	-20 +
Northwele 20	1970	.12	.1.9	(-13)	-10	17	31	33	31	22	1	.9	-17+
Northpole-20 Fletcher's T-3	1952				-5	22	30	33	31	18	5	-14	-22
" rettilet a 1-5	1953	-23	-27	-33	-8	20	30	33	25	16	-5	-11	-20
**	1954	-29	-33	-39	-7	M	M	M	M	M	M	M	M
79	1955	M	M	M	M	6	30	34	31	15			
79	1957							35	31	15	3	-15	-34
11	1958	-17	-30	-25	-17	14	34	35	34	24	7	-19	´ -15
**	1959	-22	-17	-22	-4	18	33	36	34	29	12	-5	-17
99	1960	(-29)	-6	-7	1	25	34	35	33	25	12	-8	-16
**	1961	(-4)	-21	-14	(-1)	28	35	35	33	33	(25)		
**	1962	• •				17	33	33	30	19	5	-8	.23
**	1963	-31	-26	-33	-11	11	28	33	29	19	.2	-10	-16
**	1964	-41	41	-30	-18	11	32	34	33	18	1	M	M
19	1965	-26	-25	-18	-6	19	30	34	34	23	10	(-11)	(-21)
**	1966	(.22)	-24	-22	(-7)	(21)	34	34	32	22	0	-11	-13
**	1967	-21	-28	-23	-1	15	30	32	29	22	9	-15	-21
**	1968	-17	-34	-20	.9	16	33	34	32	20	3	-16	-21
**	1969	-26	-29	-32	-12	11	29	32	29	21	ı	M	M
**	1970	M	M	-28	M	M	M	M	M	M	M	M	M +

TABLE III: Mean Temperature (OF) - Not Mapped

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUI.	AUG	SEP	ост	NOV	DEC
Fram	1893										(.5)	-12	-20
**	1894	-32	-32	-35	-6	14	29	32	30	17	-B	24	-31
**	1895	.29	-15	-31	-20	10	2B	32	28	15	-6	-24	-27
11	1896	-35	-31	.2	-1	13	29	32	(36)	• • •	_		-
Jeannette	1879	0.5	•	_	-		•		(5.0)	(26)	(9)	(-4)	(.9)
**	1880	(-36)	(-35)	(·21)	(-3)	(18)	(30)	(33)	(33)	(17)	(3)	(-16)	(-30)
**	1881	(-27)	(-24)	(-38)	• - /		. ,	. ,	. ,	(,	(- /	` '	, ,
Maud	1922	, ,		` ,					(31)	22	7	-11	-13
**	1923	-31	.15	.22	-5	9	29	32	12	19	6	-13	.30
**	1924	.22	-28	-25	.9	11	29	31					
Sadko	1937										14	1	-8
**	1938	-15	-18	-18	-3	11	29	31					
Sedov	1937											2	-8
••	1938	-14	-18	-14	-3	12	26	31	30	25	9	-7	.9
**	1939	-24	-22	-34	-12	8	28	32	29	16	1	-7	-16
Tegetthoff	1872								33	15	2	.12	-22
11	1873	-19	.30	-25	-7	16	31	35	33	24	1		
B.T.A. Trek	1968		(-26)	-15	-17	14	27	34	30	18	0	-24	.33
,,	1969	-35	-33	-38	-15	16						-	
Nansen's Trek	1895			(.34)	-21	11	30	32	29	[21	0	-11	-11
	1896	-18	-11	-10	9]	17	(32)				_		
Alpha	1957	24		26			29	32	27	11	3	-18	-34
A 12. Y	1958	-26	-33	-26	.19	8	29	33	32	12	-8	.13	20
Arlis-I	1960	-01	90	20						20	٠l	-17	-20
Arlis-II	1961	-21	.29	-32				20	20	02	0.1	10	02
Anis-II	1961 1962	-20	.22	-16	.5	9	29	32 31	30 28	23 17	2 0	·10 ·12	·23 ·28
99	1963	-39	-33	-38	·20	10	29	33	20	15	-4	-16	-20
11	1964	-36	·35	.30	-18	-4	27	31	29	14	.5	-17	-18
**	1965	-22	.9	-13	.10			31	49	14	•.,	-11	-10
Charlie	1959	-2-	,	-10			30	32	30	18	4	-14	-23
Northpole-1	1937					(14)	27	33	29	9	-6	.12	.12
m	1938	-18				(,	•	00	• /		•	•	
Northpole-2	1950				.9	13	30	32	29	17	2	:17	.29
11	1951	-34	-30	-21	-								
Northpole-3	1954							32	29	14	9	-18	.22
**	1955	-33	-33	.24	-11*	10*	29*	32*		•			
Northpole-4	1954								30	19	7	-10	.20
**	1955	-27	-34	-24	.15	8	28	32	30	16	-1	-24	-26
**	1956	·26	-23	-34	-16	9	24	31	30	(11)	(8)	(.6)	$(\cdot 1)$
**	1957	(.22)	(-21)	(-22)	(-16)								
Northpole-5	1955				-11	10	28	31	31	16	0	-26	-26
1,	1956	-17	-16	-26									
Northpole-6	1956					17	26	31	27	(22)	(5)	(-15)	(-16)
**	1957	M	M	M	M	M	M	32	29	IB	ı	-13	-34
"	1958	-24	-26	.23	-18	8	28	32	31	15	.7	.24	-20
	1959	M	M	M	M	9	28	32	30		_		
Northpole-7	1957					13	28	(32)	27	10	.5	-20	-35
11	1958	.27	·35	-25	·20	6	28	32	31	12	-11	-18	-22
	1959	-33	-35	-30		115.	,244	9.3	1848	1 41	**		,
Northpole-8	1959 1960	-26	-20	16	14	(15)	<u> 2</u> 9	32	30	18	3	-12	.22
19	1960			-19 20	-10	14	28	32	50	18	4	·14	-17
	1961 1960	-21	-32	-30	-13	17	29	20	961	91		12	. , , . 5
Northpole-9	1961	-24	-34	-33		1.4	2.7	32	30	21	l	-13	.22
	1 7471		-11.9	-, 943									

TAILE III (continued)

STATI IN	YEAR	JAN	FER	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Northpole-10	1961											(·11)	-23
"	1962	-17	-20	-15	-5	8	27	31	27	20	M	M	-27
99	1963	-31	.20	-36	-13	10	29	32	28	17	-6	-19	-20
Northpole-11	1962					10	27	31	(29)	(13)	M	M	-28
**	1963	-34	-27	-32	(-10)								
Northpole-12	1963					14	28	32	26	18	-5	-14	-14
**	1964	-37	-37	-33	-18	5	26	31	20	14	1	-15	-29
Northpole-13	1964					12	29	32	31	17	2	-10	-30
**	1965	M	M	M	M	M	M	M	M	M	31	М	M
**	1966	.29	-23	-31	-12	8	24	32	30	16	-11	-15	-20
91	1967	-29	-40	-25									-
Northpole-14	1965	M	M	M	M	M	M	M	M	М	31	M	M
**	1966	-29											
Northpole-15	1966				(-7)	9	26	31	30	12	-12	-16	-16
**	1967	-32	.37	-29	-11	11	26	32	29	22	-2	-16	-21
***	1968	-22	-33				72						
Northpole-16	1968		_	-		17	28	32	31	20	ļ	-27	-25
**	1969	-29	-30	-28	-14	10	28	31	28	22	-4	-20	-19
	1970	-21	-28	-27	-18	12	25	31	30	13	-10	-20	-29 +
Northpole-17	1968					_	29	32	30	17	-2	-20	-29
,,	1969	-26	-25	-39	-20	5	27	31	28	15			00
Northpole 18	1968				_			11.00		00		-14	-20
".	1969	-17	-27	.25	.6	(13)	30	30	30	23	.2	-13	-17 -25 +
	1970	·19	-21	-23	-16	12	26	31	29	18	-4	-12	
Northpole-19	1969					-14			29	19		-18 -9	(·18) ·22 +
	1970	-16	-18	(-18)	-14	16	27	31		19	1 .4	. 9 .12	.22 +
Northpole-20	1970				•	14	28 28	31	30 30	14	- 4 - 1	-12	·21 +
Fletcher's T-3	1952	-27	-32	-36	.9 -12	20 18	28	32 32	30 23	12	·10	-16	.24
19	1953	-34	-38	-42	-12	W.	20 M	M	M	M	M	M	M
,,	1954 1955	-34 M	-30 M	.42 M	M	2	28	32	30	11	.*1	.41	
**	1957	798	.91	,	VAT.	-	20	34	28	11	-1	-21	-39
29	1958	.22	-35	-31	-23	9	30	33	32	19	0	-25	.22
**	1959	·28	-24	-30	.15	10	28	32	32	26	6	.12	-24
**	1960	(-32)	-12	-14	-6	20	30	32	30	20	8	-14	:10
**	1961	(-9)	-28	-20	(-8)	21	32	32	31	31	(22)		
**	1962	()			()	15	32	32	28	17	.2	-12	-27
19	1963	-34	-29	-35	·16	8	26	32	26	14	-6	.16	-22
17	1964	-44	44	-34	.22	8	30	32	30	12	-4	M	M
**	1965	-31	-30	.22	·10	11	25	33	31	18	4	(-14)	-26
**	1966	-27	.29	-28	-11	14	32	33	31	19	-7	-16	-18
**	1967	-26	-33	.29	-7	13	28	31	28	19	4	-21	.25
99	1968	-21	-38	-26	-13	12	29	32	30	13	-4	-22	-28
**	1969	.32	-35	-38	-18	7	26	31	26	14	-8	M	M
**	1970	M	M	-33	M	M	M	M	M	M	M	M	M +

TAILLE IV: Mean Daily Minimum Temperature (°F)

JEATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC
Fram	1893							•			(-11)	-18	-26
**	1894	-38	-40	-41	-15	9	26	31	27	10	-17	-30	.37
**	1895	-35	-41	-37	-26	5	24	29	23	9	-6	-30	-32
**	1896	-41	-37	-12	-8	7	26	30	(34)	,	-0	-1,1()	-02
Jeanuette	1879						-		(3.)	(22)	(0)	(-12)	(-18)
••	1880	(-42)	(-39)	(-31)	(8.)	(13)	(25)	(29)	(30)	(10)	(-11)	(-21)	(-34)
19	1881	(-3:1)		(-42)	` '	` ,	(/	(,	(,	(10)	(,	(,	(01)
Maud	1922			, ,						19	3	-15	-18
**	1923	-34	-21	-28	.12	4	27	30	30	15	0	-18	-34
**	1924	.26	-33	-30	-12	8	26	29			-		
Sadko	1937										(9)	(4)	(·13)
**	1938	(-19)	(-23)	(-24)	(-9)	(7)	(26)	(29)			(-,	(-,	(/
Sedov	1937											(.3)	(-13)
**	1938	(-18)	(.23)	(-20)	(-9)	(8)	(22)	(29)	(28)	(21)	(4)	(-12)	(-14)
**	1939	(-28)	(.27)	(-10)	(-18)	(4)	(25)	(30)	(27)	(12)	(-4)	(·12)	(.21)
Tegetthoff	1872								(30)	(12)	(-3)	(-17)	(-28)
39	1873	(-25)	(-37)	(.30)	(-13)	(9)	(27)	(31)	(30)	(21)	(-4)	` '	` .
B.T.A. Trek	1968-69				i	insuffici	ent dat	a for est	imation	s			
Nansen's Trek	1895-96					**	**	"	**				
Alpha	1957						27	31	24	6	.2	-21	-38
•	1958	.31	-38	-31	-23	4	28	31	31	7	-13	-18	
Arlis-I	1960									(15)	(-6)	(-22)	(-25)
	1961	(·26)	(-34)	(-37)									
Arlis-11	1961							29	27	17	.5	-20	-32
19	1962	-26	-29	-22	-11	4	25	28	25	10	-8	-22	-36
"	1963	45	-40	-43	-24	5	25	30	24	7	.13	-26	-31
**	1964	42	-42	-38	$\cdot 25$	-1	24	27	27	8	-12	-25	-25
	1965	-28	-20	-24									
Charlie	1959						(29)	(31)	(28)	(16)	(-7)	(-17)	(-26)
Northpole-1	1937					(11)	25	31	27	3	-14	-19	-19
Northwele 9	1938	-25											
Northpole-2	1950	20	0.5		-14	10	29	30	28	13	-3	22	.33
Northwell 2	1951	-38	-35	-24									
Northpole-3	1954 1955	(20)	4 201			.=		(31)	(27)	(10)	(4)	(-23)	(-27)
North-pole 1		(-38)	(-38)	(.28)	(·15)•	(7)*	(28)*	(30)*				-	
Northpole-1	1954 1955	.29	20	07		,			M	М	M	(-15)	-27
**	1956	-33	-38 -27	-27	-19	6	27	30	29	13	-5	-28	-30
**	1957	·33 (·31)		-39	-18	6	(22)	(29)	(29)	(8)	(·11)	(-9)	(-7)
Northpole-5	1955	(.51)	(·25)	(-26)	(-19)	47	(07)	(0.0)	4.24.				
n n n		1 221	(91)	(20)	(-15)	(7)	(27)	(30)	(29)	(12)	(·5)	(-31)	(-31)
Northpole-6	1956 1956	(·22)	(-21)	(·30)		. 4	05	40	96		441		
"	1957	M	M	M	M	14 M	25	29	26	(21)	(0)	(-17)	(·20)
**	1958	-30	-30	-28	-23	5	M 27	30	27	15	-4	-17	-37
Northpole-7	1957	-170	-90	-40	.20	11	27	31	29	11	.13	·28	-26
21	1958	-32	-39	-28	-23	4	26	(31) 31	25 29	5	0	.23	-38
**	1959	-36	-38	·31	-20	•	20	01	29	6	-16	.22	.27
Northpole-8	1959	.,,,,	-00	-01			28	30	28	15		1.4	0.4
"	1960	-281	-23	-23	-1.2	12	26	31	27	15 17	-l -l	-16	-24
							-17	91	4.	1.4	- 1	-18	·21
**	1961	-32	-38	.33	-17								
" Northpole-9	1961 1960	-32	-38	-33	-17	10	26	30	27	14	-6	-19	-28

TABLE IV (continued)

STATIC N	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Northpole-10	1961											(-13)	-26
11	1962	-19	-22	-17	-7	6	26	30	26	17	M	M	-29
**	1963	-35	-31	-40	-17	8	27	31	27	14	.9	-23	-24
**	1964	42	-29	-36	-21								
Northpole-11	1962					7	26	30	(27)	M	M	M	-31
**	1963	-37	-31	-35	(·13)								
Northpole-12	1963					11	26	30	23	15	.9	-19	-19
97	1964	-40	-40	-36	-23	1	24	29	28	11	-2	-19	-35
Northpole-13	1964					8	28	30	29	14	-1	-14	-33
**	1965	· M	M	M	M	M	M	M	M	M	M	M	M
**	1966	-31	-27	-33	-16	5	22	31	29	13	-13	-17	-25
"	1967	-33	-42	-28									
Northpole-14	1965	M	M	M	M	M	M	M	M	M	M	M	M
	1966	-35											
Northpole-15	1966				(-10)	7	25	30	28	9	-15	-19	-20
**	1967	-36	-40	-32	-13	8	24	31	28	19	-7	-20	-23
	1968	·25	-35										
Northpole-16	1968					14	26	31	30	17	-2	-31	-28
**	1969	-32	-32	-31	-18	7	26	29	26	19	-8	·23	-22
	1970	-25	-30	-31	-22	10	23	30	29	9	-16	-26	-34 +
Northpole-17	1968						26	31	28	14	-7	-25	-33
	1969	-31	-30	-44	·23	4	25	30	26	11			
Northpole-18	1968											-17	-24
**	1969	-21	-30	-29	-10	(9)	28	29	28	(18)	-6	-17	-20
	1970	-22	-25	-25	-19	11	25	30	28	15	-9	-1.8	-28 +
Northpole-19	1969											-21	(·21)
	1970	-20	·21	(-21)	-18	13	26	(30)	28	15	-3	-13	-24 +
Northpole 20	1970					11	25	29	29	16	.9	-15	-25 +
Fletcher's T-3	1952		- 0.4		-13	17	27	31	28	9	-3	-22	-30
11	1953	-31	-36	-40	-16	15	27	31	21	7	-16	-22	-29
11	1954	-40	-13	-45	-16	M	M	M	M	M	M	M	M
**	1955	M	M	M	M	-1	27	31	28	7			
11	1957	00				_		32	26	8	-7	· 26	43
"	1958	-28	41	-37	-28	3	26	30	30	14	-6	-31	-27
11	1959 1960	-35	-32	-38	-26	l	24	30	29	23	-1	-18	-30
19	1961	(-35) (-14)	-18 -34	-20	-12	15	27	30	28	15	3	-19	-16
11	1962	(-14)	-34	·26	(-14)	14	29	28	29	30	(19)		•
**	1963	-37	-32	-37	-20	13	30	31	27	15	·l	-15	-31
***	1964	-47	-32 -47	-39		6	25	31	23	8	-10	-23	.29
11	1965	-36	-35	-39 -26	-27 -18	4	28	30	28	7	-8	M	M
**	1966	(-32)	-35	-33			2l	32	27	12	-4	(-19)	(-31)
11	1967	·31	-38	-34	(·24) ·12	(7) 10	31	31	29	14	-13	·21	-24
11	1968	-26	-43	-30	-12	10 8	27 25	30	26	16	·1	-27	-30
11	1969	·20 ·39	-43 -41	-30 -43	-24			31	27	6	-12	-28	-35
11	1970	.39 M	M	.39	-24 M	3 M	24 N	29 M	24	6	-17	M	M
	1710	141	TAF	.09	:71	M	M	M	M	M	M	M	M +

TABLE V: Minimum Recorded Temperature (OF)

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC
Fram	1893										(·20)	-30	-37
**	1894	-44	-58	-62	-37	-6	14	26	18	-11	.34	-4.1	-481
••	1895	-59	-51		.37	-15	12	26	17	-15	.22	.47	-50
**	1896	-58	-54	-46	-30	.19	19	27	(29)				
Jeannette	1879								, ,	7	-17	-24	-26
**	1880	.57	-50	-53	-24	-8	19	26	26	0	-14	-33	-48
10.52	1881	-50	-42	-45	-26	-12	.9						
Maud	1922									2	-11	-30	-28
"	1923	-46	-37	.37	-24	-5	13	26	26	-3	-13	.29	-41
	1924	·36	-46	-43	-24	-4	12	24					
Sadko	1937										(1)	-33	-32
	1938	.35	-44	-30	-29	-4	19	26			` '		
Sedov	1938	M	-14	M	M	M	M	M	M	13	-15	-32	-38
- "	1939	-46	-39	-47	·35	.9	18	26	19	-8	-25	-40	-41
Tegetthoff	1872								19	-10	.28	-32	.32
	1873	-47	-51	-44	-38	.9	13	28	22	4	-20		
B.T.A. Trek	1968		(42)	-44	-42	-18	16	30	23	-8	-29	-38	47
**	1969	-47	∙53	-53	·38	.6	(16)						
Nansen's Trek	1895			·-51	-37	-12	19	28	19	[-4	·13	-33	-36
	1896	-42	-35	·26	-13]	-8	(21)			-			
Alpha	1957						(19)	23	11	.23	.23	.30	-57
	1958	-57	-45	·51	-38	.9	13	(30)	24	.16	.31	.25	
Arlis-I	1960									5	-22	-33	-35
	1961	-38	-49	-47									-
Arlis-[]	1961							26	20	4	.29	-38	-44
**	1962	-54	-42	·36	.29	-13	10	27	14	.9	-29	-12	-51
**	1963	-61	-50	-57	-40	.5	11	23	16	-14	-38	-44	-42
	1964	-55	-54	-51	-45	-13	13	22	16	-8	.27	-40	-47
	1965	-54	-38	-38									
Charlie	1959			•			22	26	19	-8	-26	-38	-43
Northpole-1	1937					(2)	18	28	14	-18	-32	-32	.33
	1938	47											
Northpole-2	1950				·28	.7	20	23	20	-3	.23	. 35	-43
	1951	-57	-48	-42								•	
Northpole-3	1954							M	16	-24	.22	-36	-49
	1955	-45	-47	-45	·35*	.4*	18*	28*					
Northpole-4	1954								M	M	M	(·31)	-53
**	1955	-42	-69	-40	-31	.∙8	19	25	23	-15	.20	-42	-44
29	1956	.53	-42	-58	-31	-8	16	28	25	(15)	(.26)	(-27)	(-36)
	1957	-60	(-38)	(-49)	(·33)							. ,	
Northpole-5	1955				·31	-4	18	28	25	3	.20	·36	-45
	1956	-53	-47	-56									
Northpole-6	1956					-4	10	19	18	7	(-17)	(.35)	(-45)
**	1957	M	M	M	M	M	M	25	19	-4	-26	.29	54
	1958	-54	-40	·36	-35	· 6	16	28	16	-83	-35	-40	-40
Northpole-7	1957					·8	19	M	14	.22	.22	·36	·56
**	1958	-51	-45	-42	-40	-8	12	28	23	·17	-42	-36	-40
	1959	.51	-56	-47									
Northpole-8	1959			4.5			21	26	19	-4	.29	-40	-40
••	1960	-44	44	-47	-31	.4	19	30	19	.2	-15	·51	.36
	1961	-43	-53	47	-30	-							
Nurthpole-9	1960	4.0	10 40			-7	22	26	17	.7	-17	-38	-35
	1961	-40	.59	-52									

TABLE V (continued)

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	oct	NOV	DEC
Northpole-10	1961											(.35)	-53
**	1962	-36	-38	-31	-24	-13	16	25	(18)	1	М	M	-47
***	1963	-19	-14	-5 l	-35	-8	23	28	18	.6	.29	42	-44
**	1964	-51	-44	-49	-44								
Northpole-11	1962					-11	16	28	14	3	M	M	-5 I
11	1963	-51	-40	-5 I	(-38)								
Northpole-12	1963					-8	14	27	10	-11	.22	.29	-35
91	1964	·56	-58	-51	-42	-15	10	19	19	-8	.22	-31	-54
Northpole-13	1964					-11	10	25	25	-11	-18	-31	-53
"	1965	M	M	M	M	M	M	M	M	M	M	M	M
**	1966	-44	-38	44	-33	-17	9	27	19	-8	-42	-36	-53
**	1967	-51	49	49									
Northpole-14	1965	M	M	M	М	M	M	M	M	M	M	М	M
**	1966	-35											
Northpole-15	1966				(.22)	-13	14	27	16	.9	40	-33	-35
,,	1967	·51	-54	· 53	.26	0	10	30	23	-6	-26	-38	-38
**	1968	-44	-47										
Northpole-16	1968					-13	18	27	25	0	-22	-40	-44
**	1969	-44	42	-49	-38	-11	12	21	14	3	-33	-36	·35
**	1970	-40	-42	-49	-35	-13	9	27	18	-6	47	-54	-51 +
Northpole-17	1968						16	27	21	.2	-31	-45	.56
**	1969	-51	-51	-54	-38	-8	12	28	14	.9			
Morthpole-18	1968											-27	45
** .	1969	·36	-42	-45	-29	-8	9	23	23	10	-18	.27	-40
••	1970	-40	-38	-35	-38	-11	10	25	18	-8	-24	-44	47+
Northpole-19	1969											-29	.27
11	1970	·36	·36	-31	-35	1	14	28	18	-4	-20	-42	-45 +
Northpole-20	1970					.22	14	25	18	.2	.24	-42	-47+
Fletcher's T-3	1952				-32	5	19	28	17	4	-32	46	40
**	1953	-43	-50	-55	40	.2	20	26	9	-17	-35	-38	46
**	1954	-53	-60	-55	-43	M	M	M	M	M	M	M	M
**	1955	M	M	M	M	-15	23	24	18	-15			
**	1957		٠.					29	15	-17	-35	-50	-57
**	1958	-61	-64	-51	-47	-10	9	27	25	-7	-33	42	-46
**	1959	-55	-43	-54	-39	-24	13	24	24	5	.25	.27	-42
**	1960	(-43)	41	-42	-32	4	20	28	21	-2	·16	-33	-37
**	1961	(·33)	41	42	(-28)	2	23	24	25	27	(11)		
**	1962					-1	17	28	8	2	-22	.32	-46
**	1963	-55	42	-58	-46	-15	13	26	6	-16	-24	-14	-40
**	1964	-62	-58	-54	-46	-12	21	26	17	-22	.31	M	M
**	1965	-51	·5 I	47	-38	-13	8	27	11	.9	-20	-26	-45
11	1966	-53	-45	-44	-40	-12	24	24	19	.9	-37	-39	43
11	1967	-61	-56	-51	-37	-1	9	26	15	.2	-26	-43	-44
**	1968	.52	-55	.52	·31	-1-1	17	29	18	'6	-36	-37	-50
. "	1969	-52	-61	-56	-38	-18	8	26	3	-14	-32	M	M
11	1970	M	M	-58	M	M	M	M	M	M	M	M	M +

TABLE VI: Mean Dewpoint Temperatures (°F)

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC	
Fram	1893										(-8)	-15	-22	
**	1894	-34	-33	-39	.9	10	26	30	28	14	-13	.29	-36	
**	1895	-35	-39	-34	-24	7	26	31	26	12	-11	.25	-31	
**	1896	-38	-33	-4	-5	9	27	31	(33)					
Maud	1922									21	6	-14	M	
**	1923	M	M	M	M	8	28	31	31	17	3	-17	-32	
**	1924	M	M	M	M	7	27	30						
Alpha	1957						27	31	25	11	3	-18	-34	
11	1958	-26	-40	-33	.26	6	27	32	31	12	.9			
Northpole-1	1937						25	32	28	6	-10	-17	.15	
••	1938	.23												
Northpole-2	1950				-15	11	28	31	28	14	.4	-23	-35	
**	1951	-40	-36	.25										
Northpole-3	1954								(28)	(12)	(5)	(-22)	(.26)	
••	1955	(-37)	(.37)	(-27)	M	(9)*	(27)*	(30)*	, ,	, ,	` '	,	, - ,	
Northpole-4	1954							•				-14	.25	
••	1955	-32	-40	-29	-19	3	26	30	29	13	-5	-28	-30	
••	1956	-29	.29	-36	-20	7	(22)	(30)	(28)	(8)	(-13)	(-9)	(-6)	
**	1957	(-27)	(-22)	(-27)	(-26)					` '	` '	(- /	· - /	
Northpole-6	1956					14	24	30	26	20	ı	-17	-19	
**	1957	M	M	M	M	M	M	31	27	16	.2	.15	-37	
**	1958	.27	-29	.25	-20	6	27	32	30	14	-10	.27	-23	
Northpole-7	1957					M	M	M	25	7	2	.25	-38	
,,	1958	·30	-38	-28	-23	2	26	31	30	9	-14	.23	-27	
Northpole-8	1959						M	M	M	M	M	M	M	
91	1960	-29	-28	-23	·13	11	26	31	27	17	-1	-19	-22	
**	1961	·27	-38	-34	-15									
Northpole-9	1960					14	(27)	31	29	20	·1	-17	-26	
**	1961	·28	-38	·36										
Northpole-10	1961											-16	-27	
**	1962	-21	-::5	-20	-8	4	24	28	(24)	(16)	M	M	-34	
••	1963		(.34)	-42	-17	7	27	31	26	15	-10	-20	-25	
70	1964	-42	·36	-34	-25									
Northpole-11	1962					6	25	29	(28)	(II).	M	M	-34	
**	1963	-38	-30	-36	(-19)									
Northpole-12	1963					11	24	30	24	17	-10	-18	-19	
	1964	42	42	-38	·23	0	23	30	29	11	4	-19	-36	
Northpole-13	1964					10	28	31	30	14	.2	-14	-35	
11	1965	М	M	.31	M	M	M	M	M	M	M	M	M	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1966	-34	·26	-34	·15	6	22	31	29	14	-14	-18	-24	
	1967	-35	-46	-29										
Northpole-14	1965	M	M	M	M	M	M	M	M	M	M	M	M	
 V 1 1 5	1966	·35												
Northpole-15	1966				(-12)	6	23	30	29	10	-17	-21	-20	
**	1967	-36	-41	-33	·15	7	24	31	27	20	-6	-19	.24	
	1968	-26	-36											
Northpole-16	1968					15	26	31	30	19	0	-31	-29	
**	1969	.31	-34	-33	-18	8	26	29	27	20	-7	-22	-23	
	1970	-24	-31	·31	.22	10	22	30	29	11	-14	-25	-34 +	
Vorthpole-17	1968						26	31	29	15	-7	-22	-33	
**	1969	-30	-28	-43	.23	3	25	30	26	13				

TABLE V1 (continued)

STATION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	PEC
Northpole-18	1968											-18	-22
17	1969	.19	-31	-28	-7	(9)	28	29	28	20	-6	.15	.19
11	1970	-22	.24	.25	-18	10	22	30	28	15	-6	-16	-27+
Northpole-19	1969											-21	-21
•• •	· 1970	-21	.22	-21	-17	13	25	30	28	17	.3	-13	-26 +
Northpole-20	1970					(13)	(25)	(29)	(29)	(15)	-10	-17	.23 +
Fletcher's T-3	1952-58	M	M	M	M	M	M	M	M	M	M	M	M
**	1959	-38	.32	-40	-24	3	24	29	30	23	1	-19	-33
**	1960	-40	-21	.20	-13	16	28	31	30	19	4	-20	·35
**	1961	(·16)	-34	-26	-16	11	28	32	30	30	(18)	.20 M	M
11	1962	M	M	M	M	M	M	M	M	M	M	M	M
**	1963	M	M	M	M	M	M	31	26	13	.7	-17	-23
**	1964	-42	M	M	(·13)	4	26	30	29	11	-8	M	
11	1965-67	M	M	M	M	M	M	M	M	M	-0 M	M	M M
11	1968	M	M	M	M	M	24	29	28	5	·15		
17	1969	(-40)	(-39)	(-44)	-30	2	24	27	22	7	·13	-36	(-29)
11	1970	M	M	(-49)	M	M	M	M	M	M	.20 M	M M	M M +

TABLE VII: Mean Windspeed (miles per hour)

CTATION 1	YEAR	JAN	FEB	MAF	R APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Fram	1893										10.7	10.1	7.2
**	1894	8.1	8.1	10.3	9.2	11.4	8.0	9.8	7.11	10.7	12.3	8.9	13.0
**	1895	10.1	81.9	7.8	7.4	11.0	12.8	11.2	11.2	10.5	10.1	9.4	8.5
**	1896	12.1	13.2	11.0	10.0	11.0	9.2	8.0	13.9				
Maud	1922									11.9	13.0	9.4	9.6
"	1923	9.8	9.8	7.6	8.7	8.7	10.1	8.7	8.5	9.8	11.2	8.1	6.1
	1924	8.7	8.1	5.8	9.2	7.8	8.9	6.7	9.2				
Sadko	1937										10.3	14.3	11.6
"	1938	14.8	9.8	8.3	8.9	143.3	13.0	10.7					
Sedov	1937		٧									11.6	6.9
••	1938	10.1	9.1	8.6	8.1	9.9	9.7	13.0		15.2	11.9	14.1	16.3
.	1939	11.9	10.1	9.8	12.5	14.3	15.9	9.8		14.8	13.9	13.9	14.3
B.T.A. Trek	1968		(6.9)	8.1	8.1	11.5	9.2	9.2	9.2	8.1	10.4	9.2	10.4
	1969	8.1	8.1	6.9	9.2	9.2	(8.1)						
Alpha	1957							9.0		6.6	11.4	6.7	4.2
A 10 1	1958	8.5	6.4	6.6	4.1	6.6	7.3	6.9	5.8	8.2	8.5	6.3	
Arlis-1	1960									12.2	14.4	10.6	13.6
	1961	11.4	9.7 .	10.2									
Arlis-11	1961							10.7	12.0	11.5	9.9	15.1	8.4
"	1962	12.5	11.4	12.7	13.2	10.5	12.3	13.8	15.8	14.0	13.2	12.0	10.8
**	1963	9.8	10.6	11.3	10.1	10.1	8.3	11.3	10.6	12.5	13.8	12.2	12.7
**	1964	13.0	10.2	14.7	10.6	10.9	12.9	10.7	9.1	10.1	14.4	12.1	17.1
	1965	16.0	16.4	13.9									
Charlie	1959						9.6	10.6	10.1	11.6	12.0	9.7	13.7
Northpole-1	1937	0.4					11.4	8.7	11.0	8.5	8.3	17.9	9.4
Northpole-2	1938 1950	9.4			0.0	0.7	105	- 4	100				
"	1951	10.2	12.0	6.9	9.0	9.7	10.5	7.4	12.8	11.4	6.8	8.3	4.9
orthpole-3	1954	10.2	12.0	0.9					(0.2)	(0.1)	411. 15	46.00	.
"	1955	(10.0)	(7.6)	/Q Q\	/10 21	*(10.0)*	/0 61	•	(8.3)	(9.1)	(11.1)	(6.9)	(7.3)
Vorthpole-4	1954	(10.0)	(1.0)	(0.0)	(10.2)	(10.0)	(0.0)					145	15.0
"	1955	12.1	10.8	10.0	10.8	10.9	11.2	11.3	13.5	11.5	12.9	14.5 11.5	15.0
**	1956	16.0	14.8	12.4	10.6	10.4	(13.4)				12.9 M	M	11.0 M
iorthpole-6	1956	10.0		16.7	10.0	10.7	13.7	15.2	10.6	10.9	13.6	8.7	12.3
"	1957	M	M	M	M	M	M	7.9	7.1	6.9	4.9	6.2	4.0
**	1958	4.9	5.6	5.1	5.1	4.6	5.8	5.5	8.1	6.4	5.5	6.9	6.3
orthpole-7	1957	*.,	0.0	0.1	J. 1	7.7	11.5	M	8.7	5.4	8.3	4.4	3.4
"	1958	5.9	3.7	5.3	3.3	4.2	4.8	3.9	4.4	5.3	4.6	5.0	4.4
**	1959	6.9	10.5	13.6	0		7.0	J. 7	4.4	5.0	7.0	J.V	7.7
orthpole-8	1959	,					11.9	11.9	10.3	11.0	13.0	11.2	15.3
"	1960	10.4	12.8	12.8	11.9	10.6	11.6	9.3	7.6	12.6	13.1	11.0	11.7
11	1961	11.7	10.6	8.5	10.6		:-	-,.0		- =	10.1	11.0	
orthpole-9	1960					10.5	11.1	10.3	12.3	10.4	12.2	10.1	10.0
**	1961	10.9	9.1	9.3				- 0.0		10.7	12.2	10.1	10.0
orthpole-10	1961											14.1	8.1
11	1962	11.9	9.0	9.3	11.5	11.2	10.4	10.9	(16.7)	10.8	M	M	9.1
**	1963	7.2	(9.5)	6.0	8.4	6.9	8.0	9.1	9.4	11.6	8.5	11.3	11.7
16	1964	8.7	10.5	11.4	10.7		- • • •	- • •	•••		0		
orthpole-11	1962					11.1	11.2	12.9	13.0	13.2	M	M	9.1
**	1963	9.9	9.4	9.9	(13.9)								<i>7</i> .1
orthpole-12	1963				,	6.4	7.8	6.2	12.7	14.2	9.5	12.0	12.8
	1964	6.7	7. l	9.0	10.7	10.3	12.4	12.9	8.9	9.6	11.3	7.9	7.9

TABLE VII (continued)

STATION	YEAR	JAN	FEU	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
Northpole-13	1964					11.4	11.9	10.2	10.1	10.4	10.2	12.9	9.4
,,	1965	M	M	M	M	M	M	M	M	M	M	M	M
**	1966	11.2	11.0	6.2	7.0	14.4	11.5	11.6	11.0	11.2	4.7	12.0	9.4
**	1967	10.6	8.9	11.0					•				
Northpole-14	1965	M	M	M	M	M	M	M	M	M	M	M	M
11	1966	7.8											
Northpole-15	1966				(7.7)	9.7	13.8	8.2	8.5	8.0	7.1	10.8	11.0
11	1967	8.3	9.6	10.1	11.5	9.5	9.9	9.4	11.7	8.9	12.1	10.6	9.5
99	1968	9.6	9.4										
Northpole-16	1968					11.7	11.4	9.7	10.2	11.8	10.6	6.0	11.1
19	1969	10.3	11.4	10.5	10.8	7.8	11.3	13.6	12.7	14.3	12.3	10.2	12.0
11	1970	15.0	8.4	11.1	7.7	10.0	10.6	12.2	10.1	12.0	10.8	7.9	9.0 +
Northpole-17	1968						10.4	10.8	11.4	10.0	14.7	12.5	10.0
••	1969	10.6	15.3	8.8	8.8	5.8	8.0	9.7	7.7	9.3			
Northpole-18	1968											10.3	10.7
••	1969	17.4	11.1	12.3	10.8	(9.9)	10.8	11.4	9.8	11.5	10.6	7.4	8.2
**	1970	8.1	8.0	5.2	9.6	10.8	11.1	11.5	8.9	9.6	7.9	9.3	7.5 +
Northpole-19	1969											8.1	12.3
**	1970	9.1	9.4	7.9	6.5	7.6	9.3	8.5	6.5	9.2	8.5	9.2	8.5 +
Northpole-20	1970					10.0	11.1	10.1	9.0	13.8	9.5	10.6	9.5 +
Fletcher's T-3	1952				9.6	12.2	8.3	10.5	11.3	12.1	11.4	7.6	10.2
99	1953	12.0	10.4	10.1	10.5	11.6	11.2	9.8	9.7	9.2	11.4	9.1	10.4
"·	1954	7.5	7.7	7.9	9.1	M	M	M	M	M	M	M	M
99	1955	M	M	M	M	6.6	9.8	11.4	11.7	11.7			
**	1957							6.2	8.7	12.1	10.9	8.7	8.3
**	1958	เจ้.ช	13.8	9.3	10.2	9.1	7.8	10.0	7.6	9.1	7.4	10.7	13.0
11	1959	12.0	8.6	8.5	10.7	8.6	10.4	9.4	10.2	12.4	8.7	10.6	10.8
**	1960	(10.7)	15.9	12.9	11.2	14.8	8.9	9.3	12.1	12.5	19.0	11.9	14.5
**	1961	11.2	6.6	14.6	11.0	8.5	9.2	7.9	13.0	11.6	(12.0)		
**	1962					9.0	8.0	13.0	10.0	13.0	9.0	10.0	9.0
**	1963	7.0	8.0	. 8.0	9.0	9.0	8.0	9.0	13.0	11.0	13.0	8.0	10.0
**	1964	5.0	6.0	12.0	11.0	12.0	14.0	14.0	8.0	8.0	10.0	6.0	7.0
••	1965	9.6	10.7	11.2	9.4	9.4	8.3	8.7	9.8	10.1	11.4	11.4	7.2
**	1966	9.6	10.1	8.9	8.1	10.7	10.6	7.5	9.3	9.8	7.7	13.7	9.7
••	1967	9.3	9.2	8.3	11.3	10.0	10.4	9.1	11.9	7.4	12.2	8.5	8.2
11	1968	12.1	9.3	9.3	8.4	8.4	9.3	9.8	8.4	7.3	8.1	8.2	9.7
99	1969	6.9	6.8	6.8	7.5	6.4	9.4	12.2	9.9	10.9	10.0	M	M
99	1970	M	N	7.9	M	M	M	M	M	M	M	M	M +

APPENDIX C

TABLE OF CLIMATIC MEASUREMENT EQUIVALENTS
(for reference purposes when using the maps in Section 6)

Temperature		Windsperd		
Degrees F	Degrees C	Miles per Hour	Meters per Second	Knots
50	10.0	1	0.447	0.686
45	7.2			0.000
40	4.4	2	0.394	1.372
35	1.7	4	1.788	2.744
32	0.0	6	2.682	4.116
		8	3.567	5.488
30	·1.1	10	4.470	6.860
25	-3.9			0.000
20	-6.7	12	5.364	8.232
15	-9.4	14	6.258	9.604
10	-12.2	16	7.152	10.976
		18	8.046	12.348
5	-15.0	20	8.940	13.720
0	-17.8		0.940	13.720
-5	-20.6	25	11.175	17.15
-10	-23.3	30	13.410	
-15	-26.1	35	15.645	20.58
		40	17.880	24.01
-20	-28.9	45	20.115	27.44
-25	-31.7	10	20.113	30.87
-30	-34.4	50	22,350	24.20
·3 5	·37.2	55	24.585	34.30
-40	-40.0	60	26.820	37.73
	,	65	29.055	41.16
-45	-42.8	70		44.59
-50	-45.6	10	31.290	48.02
-55	-48.3	75	22 505	
-60	-51.1	80	33.525	51.45
-65	-53.9	85	35.760 ·	54.88
	0017	90	37.995	58.31
-70	, -56.7	90 95	40.230	61.74
••	,	⁹⁵ .	42.465	65.17

1 F° = 0.555 C° 1 C° = 1.800 F°

indexing annotation must be enter	ed when M	SECURITY CLASSIFICATION					
Laboratory	Line						
		assitica					
· · · · · · · · · · · · · · · · · · ·	_						
IN							
							
TE TOTAL NO. OF PA	4669	75. NO. OF REFS					
98		82					
SO ORIGINATOR'S REPORT HUMBERIS							
ETI TO	71 5						
EIL-IR-	71-5						
A CTHES SECOND	- 3151 /Age	-the custom that may be realized					
Bida report)	101-1						
ľ							
mited.							
18. SPONSORINE MILI	TARY ACT	FLVITY					
ARPA thru U.	S. Army	Cold Regions Research and					
	Industry (28) In Total No. of Page 198 In Orientatory (28) In Total No. of Page 198 In Orientatory (28) In Orientatory (PA. TOTAL NO. OP PACES 98 90. ORIGINATOR'S REPORT NU ETL-TR-71-5 90. OTHER REPORT HOUSI (Any also report) mited.					

This report contains maps showing the distribution of monthly means and extremes of temperature, windspeed, dewpoint, and visibility within the Arctic Basin. These elements were selected because of their significance to the design and operation of large, Surface Effect Vehicles which may be required to perform transportation services in that area. The distributions are derived from a considerable amount of observational data spanning a century of scientific research but primarily from Soviet and United States drifting ice atations maintained during the last two decades.

DD FORM 1473 REPLACES ON PORM 1475, 1 JAM 94, BHIEN IS

KEY WORDS			NKA LINKO LIN				
<u> </u>		ROLE	WT	ROLE	WT	ROLE	WT
Surface climate	}						
Arctic Basin	ł						
Surface Effect Vehicles							
Climatic extremes				1			
Climatic frequencies							
Drifting ice stations							
Temperature							
Windspeed							
Dewpoint							
Visibility							
Hydrometeors							
							,
	İ						
				.			
•							
•							
	ł						
•.	i				,		
					'		
•	j						
	ľ	ł					
	i						
			•				
	İ	ŀ	ı				
•							
		1					
		i					
•	ļ						
•							
		ł			!		